



# Power Control Module Chevrolet/GM Truck

Installation Instructions



**Jet Performance Products**

17491 Apex Circle

Huntington Beach, CA 92647

Phone: (714) 848-5515 • Fax: (714) 847-6290

[www.jetchip.com](http://www.jetchip.com)

# Chevrolet/GM Truck Installation Procedures

1. Disconnect the negative terminal of the battery. (see *Fig. 1*)



*Figure 1.*

2. Locate the vehicles' computer (see chart below).

## ECM Location Chart


|       |                  |                    |    |
|-------|------------------|--------------------|----|
| 96-up | S10/S15          | 2.2L               | #1 |
| 01-02 | S10/S15          | 4.3L               | #1 |
| 03-up | S10/S15          | 4.3L               | #1 |
| 99-up | Silverado/Sierra | 4.8, 5.3, 6.0, 8.1 | #2 |

#1 = Under hood passenger side on fender.

#2 = Under hood drivers side, between the engine & fender.

3. Follow chart below to identify color harness to remove:

|       |                     |      |
|-------|---------------------|------|
| 96-up | 2.2L                | BLUE |
| 01-02 | 4.3L                | RED  |
| 03-up | 4.3L                | BLUE |
| 99-02 | 4.8, 5.3, 6.0, 8.1L | RED  |
| 03-up | 4.8, 5.3, 6.0, 8.1L | BLUE |




*Fig. 3A*

4. Remove the factory harness from the computer by backing out the 9/32 bolt (see photos 3A & 3B).



*Fig. 3B*



*Fig. 4*

5. Install JET PCM into computer, make sure the PCM is seated in the computer properly. Tighten the 5/16 bolt until seated (see fig. 4).

6. Reinstall the stock wiring harness in the JET PCM and tighten 9/32 bolt (see Fig. 5).



*Fig. 5*

7. Reconnect negative terminal of battery.
8. Start vehicle and verify no warning lights are on and vehicle is running normally.
9. Have fun with your added performance (see Fig. 6).



*Fig. 6*

10. If you do experience any problems, please call Technical Support at (714) 848-5515



## WHAT TO DO BEFORE TAKING YOUR VEHICLE IN FOR SERVICE

If a problem occurs that may require you to take your vehicle to a mechanic or dealership for service, first remove the JET Performance Chip or Module and reinstall back to stock. If the problem disappears when you remove the JET Performance Product, call JET and we will troubleshoot the product. However, if returning to stock does *not* cure your problem, there is nothing wrong with your JET Performance Product and you will need to have your vehicle serviced.

*Anytime* a diagnostic machine is to be used, the vehicle must be back to stock. Diagnostic machines expect to find the original stock program and often cannot correctly analyze the problem if other devices are installed. Failure to reinstall your system back to stock can result in unnecessary and costly repairs not covered by JET. Before you have any work done on the vehicle that you feel may have been related to the JET Performance Chip or Module, please call JET at 714-848-5515.

### Limited Warranty

JET Performance Products warrants Chips and Modules to be free from defects in material and workmanship under normal use and if properly installed. This limited lifetime warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed, provided all information requested is furnished. If found to be defective as mentioned above, it will be replaced or repaired at the sole discretion of JET if returned prepaid along with proof of date of purchase.

All other products and services performed by JET are warranted in defects in material and workmanship for a period of 6 months from date of purchase. This warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed. Repair, Replacement, or Credit will be based on the date of purchase. Costs for labor are specifically excluded and are the sole responsibility of the purchaser.

This warranty does not apply to Custom Programming or any product incorrectly installed, modified by the purchaser, or to any product that has been subjected to misuse, negligence or accident.

To obtain warranty service and Return Authorization Number, contact our Customer Service Department at 714-848-5515 between 8 am and 5 P.M. Pacific Standard Time, Monday through Friday.

Defective Products may be brought or sent prepaid (with Return Number) to JET Performance Products, 17491 Apex Circle, Huntington Beach, CA 92647.

**For information regarding warranty claim problems, see [www.sema.com](http://www.sema.com)**

**Place this booklet in the glove box along with the vehicle registration and/or warranty**

*The information shown below is provided for future reference*

## **Jet Powertech Performance Product**

The product for which this document was issued is emission-sensitive and is subject to certain federal and state regulations; the manufacturer has assigned an identification color code designating its intended use.

The designation is:



**COLOR CODE GREEN**

The product accompanying this document has been guaranteed a California Air Resources Board (ARB) exemption, an "EO" number, or is a direct or consolidated replacement part. It is 50-state legal, per the manufacturer's application guide.