

1-800-345-4545 VOICE
1-614-751-9873 FAX



High Performance Mail Order



Custom Axle Order Form



Jeg's National Headquarters • 101 Jeg's Place • Delaware, OH 43015

| 1. Shipping Address <small>*We cannot deliver to PO box!</small> | | | 2. Credit Card Billing Address | | | 3. Billing Information | | |
|--|--|--|----------------------------------|--|--|--|--|--|
| Home Phone _____ | | | Name on card _____ | | | <input type="checkbox"/> Credit Card # _____ | | |
| Name _____ | | | Address _____ | | | Expiration Date _____ | | |
| Address* _____ | | | City _____ State _____ Zip _____ | | | <input type="checkbox"/> Certified Check/Money Order | | |
| City _____ State _____ Zip _____ | | | Work Phone _____ | | | | | |

Application (Street, Street/Strip, Drag, Oval) _____ Rear End (12-Bolt, 9", etc.) _____
 Type & Brand of Center Section _____ No. of Splines _____
 Flange O.D. (Std. is 6.245) _____ Type of Brakes _____ Vehicle Brakes are from _____
 Driver Side "C" _____ Passenger Side "C" _____ "A" _____ "B" _____ "H" _____ "F" _____
 Bolt Circle _____ Wheel Stud Diameter (1/2, 5/8) _____ Wheel Stud Length (2", 3") _____
 What Type of Housing End? _____ (Circle Correct Type)

Below is a list of related parts available to correctly install your axles. Check any that may apply. A salesperson will contact you with pricing and package deals where applicable.

- Axle Bearings
- C-Clip Eliminator
- Ring & Pinion
- Bearing Retaining Plates
- Spool
- R&P Install Kit
- Wheel Studs
- Spool Bearings
- Other _____



To order a custom housing OR if you want us to calculate axle lengths, please provide the following information:

- Passenger Side Housing End to C.P. (L) _____
- Driver Side Housing End to C.P. (O) _____
- Housing End to Housing End (L) + (O) _____
- Passenger Side Axle Flange to C.P. (M) _____
- Driver Side Axle Flange to C.P. (J) _____
- Axle Flange to Axle Flange (Wheel to Wheel) equals (M) + (J) _____

NOTES: (1) Axle Flange to Axle Flange is measured from the OUTSIDE (Wheel Side) of the axle's flange to OUTSIDE (Wheel Side) of the opposite axle's flange.

(2) If you have listed only housing end to housing end or axle flange to axle flange - you must specify pinion offset.

NOTES: (3) (B) dimension should be measured with the axle bearing removed. If you cannot remove the axle bearing, insure that you supply a proper (F) dimension.

(4) (H) Dimension is not necessary if receiving bearings from Strange.

