

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

RED BOLT LOCKER

Synonyms:

28080 JEGS PERFORMANCE RED BOLT LOCKER

Company Identification

JEGS Automotive Inc. 101 Jegs Place Delaware, OH 43015

PHONE: 1-800-345-4545 WEBSITE: www.jegs.com

CAS Registry Number Not Applicable

Synonyms None

Generic/Chemical Name Not Applicable

Product Type Red Bolt Locker

Preparation Date 12/22/09

Transportation Emergency Response

www.jegs.com/msds

Product Information

Product Information and MSDS Requests: 1-800-345-4545

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS	CAS NUMBER	AMOUNT	ACGIH TLV	PEL	STEL
Saccharin	81-07-2	1 – 3% weight			
Cumene Hydroperoxide	80-15-9	1 – 3% weight	1 ppm Skin	None	
Amorphous Fumed Silica	112945-52-5	0.1 – 1% weight	10 mg/m3	6 mg/m3	

3. HAZARD IDENTIFICATION

Primary Routes of Entry: Eye contact, skin contact.

Toxicity: Mild eye irritant.

Symptoms of Overexposure: May cause dermatitis with prolonged contact on sensitive individuals. May cause respiratory tract irritation.

Existing Conditions Aggravated by Exposure: Eye, skin and respiratory disorders.

4. FIRST AID MEASURES

Eye: Immediately flush with water for several minutes. Seek medical attention.

Skin: Remove from skin and wash thoroughly with soap and water or waterless cleaner. Get medical attention if irritation or other ill effects develop or persist.

Ingestion: DO NOT INDUCE VOMITING. Seek immediate medical attention.

Inhalation: Move to fresh air. If symptoms resist, obtain appropriate medical attention.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

Flashpoint: >200 °F

FP Method: TCC

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam

Special Fire Fighting Procedures: None

Unusual Fire or Explosion Hazards: None known.

Hazardous Decomposition Products: Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products:

- Carbon oxides
- Irritating organic vapors
- Nitrogen oxides
- Sulfur oxides

6. ACCIDENTAL RELEASE INFORMATION

Spill Management: Observe all personal protection equipment recommendations. Soak up with inert absorbent. Store in a partly filled, closed container until disposal. Prevent product from entering drains.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases.

7. HANDLING AND STORAGE

Handling: Avoid eye, skin, and clothing contact. Avoid breathing vapor.

Storage: Store at or below 100°F. Keep away from heat, sparks and open flames.

8. EXPOSURE CONTROL/PERSONAL PROTECTIVE EQUIPMENT

Eye Protection: Safety goggles or glasses with side shields are recommended.

Skin Protection: Rubber, polyethylene, or neoprene gloves.

Ventilation: Local exhaust ventilation is recommended to maintain vapor level below TLV.

Respiratory Protection: Use NIOSH approved respiratory for individuals who are sensitive.

9. PHYSICAL AND CHEMICAL PROPERTIES

Attention: The data below is not intended for use in preparing product specifications.

Physical State:	Liquid
Specific Gravity:	1.1
Color/Appearance:	Red
Odor:	Mild
Vapor Pressure:	<5mm Hg @ 200°F
Vapor Density:	Approx. 3 (Air=1)
Boiling/Cond. Point:	> 300°F
Solubility:	Negligible
VOC%:	135% 142 g/L

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Hazardous Decomposition Products: Oxides of carbon, sulfur, and nitrogen

Conditions to Avoid: None known

Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Component Toxicology Information: No known applicable information.

Special Hazard Information on Components: No known applicable information.

12. ECOLOGICAL INFORMATION

Environmental Fate and Distribution: Complete information is not yet available.

Environmental Effects: Complete information is not yet available.

Fate and Effects in Waste Water treatment Plants: Complete information is not yet available.

13. DISPOSAL INFORMATION

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

14. TRANSPORTATION INFORMATION

DOT Road Shipment Information: Not subject to DOT.

Ocean Shipment (IMDG): Not subject to IMDG code.

Air Shipment (IATA): Not subject to IATA regulations.

15. REGULATORY INFORMATION

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

SARA Title III Section 302 Extremely Hazardous Substances

None

SARA Title III Section 304 CERCLA Hazardous Substances

None

SARA Title III Section 312 Hazard Class

Acute: Yes
Chronic: No
Fire: No
Pressure: No
Reactive: No

SARA Title III Section 313 Toxic Chemicals

Cumene Hydroperoxide (80-15-9)

California prop. 65

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

Saccharin. Proper usage necessitates no Proposition 65 warning.

New Jersey

Cumene Hydroperoxide (80-15-9)
Saccharin (81-07-2)

Pennsylvania

Cumene Hydroperoxide (80-15-9)
Saccharin (81-07-2)

16. DISCLAIMER

The data contained herein is based upon information that JEGS Automotive Inc. believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements to suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.