



**1-800-779-2102**

Mon – Thurs: 8:00am - 5:00pm | Friday: 8:00am - 4:00pm CST

**INSPECT YOUR PRODUCT FOR DAMAGE & MISSING PARTS BEFORE PROCEEDING TO INSTALLATION**

**PROCEDURE FOR RETURNS OR MISSING HARDWARE**

-PLEASE CONTACT THE ORIGINAL POINT OF PURCHASE FOR:  
SHIPPING DAMAGE, RETURNS, OR WARRANTY CLAIMS

-CONTACT DEE ZEE DIRECTLY FOR MISSING PARTS OR HARDWARE

**WWW.DEEZEE.COM**

REGISTER YOUR PRODUCT ONLINE: [www.deezee.com/registration](http://www.deezee.com/registration)

VIEW INSTRUCTIONS ONLINE: [www.deezee.com/instructions](http://www.deezee.com/instructions)

---

**⚠️ WARNING:** Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Operating, servicing, and maintaining a passenger vehicle can expose you to chemicals such as lead, phthalates, engine exhaust, and carbon monoxide that are known to the State of California cause cancer and birth defects or other reproductive harm. To minimize exposure, service your vehicle and its accessories in a well-vented area and wear gloves or wash your hands frequently.



## DEE ZEE, INC. WARRANTY AGREEMENT

Dee Zee, Inc. guarantees the original purchaser a limited lifetime warranty against manufacturer defects in materials, workmanship, and design under normal use, excluding damage resulting from road hazards such as gravel or other debris, product misuse, improper installation, impairments from accidents, product modifications, improper repairs, spills, vandalism, product neglect, or acts of God.

This warranty applies only to the original purchaser of new product(s) and is limited to the replacement of genuine Dee Zee products. Modification of any kind to Dee Zee products voids all warranty coverage. Warranty does not include electrical components, installation, cost of removal, labor, transportation costs, loss of use, inconvenience, or consequential damages.

## WARRANTY COVERAGE - MATERIALS & WORKMANSHIP

### LIMITED LIFETIME WARRANTY:

- STAINLESS STEEL: Side Steps, Grill Guards, Bull Bars, Bed Caps, and Side Rails
- ALUMINUM: Side Steps, Running Boards, Storage Boxes, Transfer Tanks, Bed Protection, Side Rails, Invis-A-Racks, and Cab Racks
- PLASTIC: Storage Boxes
- OTHER: Front and Rear Bumpers

### THREE-YEAR WARRANTY:

- POWDER-COATED / E-COATED STEEL: Side Steps, Running Boards, Storage Boxes, Transfer Tanks, Cab Racks, Sport Bar Ladder Racks, Cargo Carriers, Mounting Brackets (NX, Rough Step, and Bumper Guards only)
- OTHER: Tailgate Assist, Bed Mats, Floor Mats, Auxiliary Fuel Connection Kits, and All Products Not Otherwise Listed Individually

## WARRANTY COVERAGE – FINISH PROTECTION

The finish of all Dee Zee products is covered for one-year (1) from the date of purchase. Dee Zee products have a high quality finish that must be cared for and maintained like any other exposed finish on the vehicle. Protect the finish with non-abrasive automotive wax (e.g. Pure Carnauba) on a regular basis. Applying soaps, polishes, or waxes that contain an abrasive compound may scratch the finish and leave the exposed material susceptible to corrosion.

## WARRANTY COVERAGE – COMPONENT PARTS

Operational items such as shocks, latches, hinges, and wear items including, but not limited to, mud flaps, step pads, toolbox tray, end caps, hardware, seals, etc. have a one-year (1) warranty. Replacement component parts can be ordered via credit card (MasterCard or VISA) by calling 1-800-779-2102. All replacement parts are non-returnable and non-refundable.

## **GPI® FUEL PUMPS & ACCESSORIES**

All Great Plains Industries (GPI) products, including transfer tank pumps and fuel meters are covered by GPI's warranty policies. Dee Zee's warranty terms do not apply to GPI products. To submit a warranty claim, please contact GPI at 1-800-835-0113 or visit [www.gpi.net](http://www.gpi.net).

### **WARRANTY SUBMISSION PROCEDURE**

All warranty claims will be initiated at the place of purchase. The original purchaser will be required to present the original sales receipt with purchase date shown and provide photographs of the defect.

In the event the originally purchased product style is no longer available, Dee Zee will warranty the defective part with a current equivalent. If a comparable product is no longer available, the product would be returned to the store of purchase for a refund or the applicable cost difference can be paid to choose an alternate style.

### **DISCLAIMER**

All products are sold as appearance accessories and should not be relied upon as protection for the vehicle or its occupants in the event of an accident. Vehicles equipped with a supplemental restraints system (air bags) deployed by impact and collision avoidance systems should not be modified in any way. Always consult the vehicle manufacturer if you have any questions regarding supplemental restraint systems and sensors.

Buyer must accommodate front and rear sensors during product installation and assumes all risk should these be tampered, rerouted, severed, or disconnected. This includes disabling visual, audio, or vibration alerts into the cab. Buyer assumes all risk and responsibility for wiring any supplemental auxiliary lights.

Buyer assumes all risk, liability, and cost for the installation and use of Dee Zee products. Dee Zee, Inc. assumes no liability for injury, loss, incidental or consequential damages in the event of an accident.



Thank you for choosing Dee Zee to add function and accessorize your vehicle. Dee Zee has been a staple brand in the truck accessory market since 1977 and we hold a reputation of quality manufacturing based in America's Heartland. Our products are born through careful engineering and backed by industry leading warranty programs. We appreciate the opportunity to serve you and your vehicle!

**Review the instruction pages in their entirety to prepare the required tools**

**Warning:** Test fit all truck bed rail caps to obtain proper placement before installing this product.

**Note:** Not all bed rail caps will include or require double sided adhesive tape. Please refer to the instructions to determine if adhesive strips are necessary.

**Cleaning:** To be entitled to all warranty rights offered with the product, Dee Zee bed rail caps need to be cleaned regularly with a mild detergent. Do NOT use abrasive cleaners. For stainless steel products, the application of a high grade automotive wax is recommended.



Dee Zee Cares - Please Recycle

For an electronic version of these instructions visit: [www.deezee.com/instructions](http://www.deezee.com/instructions)

Register your product online: [www.deezee.com/registration](http://www.deezee.com/registration)


# Dee Zee Tailgate Protector Installation Instructions

Congratulations on your purchase of a quality Dee Zee product. Dee Zee is recognized as having the highest quality truck accessories on the market today. We have earned this reputation by offering our customers a product they can be proud to place on their vehicles. Dee Zee meets all of the criteria of manufacturing a custom-fit product which guarantees it to be the easiest product to install on your vehicle.


Félicitations sur votre achat d'un produit de Dee Zee de qualité. Dee Zee est identifié en tant qu'ayant les accessoires de camion de la plus haute qualité sur le marché aujourd'hui. Nous avons gagné cette réputation en offrant à nos clients un produit qu'ils peuvent être fiers de placer sur leurs véhicules. Dee Zee rencontre tous les critères de la fabrication coutume-a adapté le produit qui des garanties il à être le produit le plus facile à installer sur votre véhicule.

Instructions: Please take time to read all instructions carefully before beginning this installation.


Instructions: Veuillez prendre du temps de lire toutes les instructions soigneusement avant de commencer cette installation.

**A** Tailgate Protector  Note: Tailgate protector picture shown may differ from actual product.  
Note: L'image de protecteur de porte à rabattement arrière montrée peut différer du produit réel.


X1

**B** Alcohol Pads  Note: Only tape-on tailgate protector installations require alcohol pads.  
Note: Seulement enregistrer-sur le protecteur de porte à rabattement arrière les installations exigent des garnitures d'alcool.

X2

**C** Phillips Head Screw  Note: Only screw-on tailgate protector installations require phillips head screws.  
Note: Seulement les installations à vis de protecteur de porte à rabattement arrière exigent les vis principales Phillips.

X4

**D** Roll Of Tape  Note: Only Dynamx tailgate protector installations include the roll of tape.  
Note: Seulement les installations de protecteur de porte à rabattement arrière de Dynamx incluent le rouleau de bande.

X1

Note: See Step 1 for tailgate protector tape-on installations and Step 2 for tailgate protector screw-on installations.

Note: Voir l'étape 1 pour le protecteur de porte à rabattement arrière enregistrer-sur des installations et l'étape 2 pour les installations à vis de protecteur de porte à rabattement arrière.


Warning: Testfit the tailgate protector on your vehicle tailgate to obtain the proper placement before installing this tailgate protector. For tape-on installations, due to the extreme adhesion of the tape, proper placement of the tailgate protector should be done for the first time after the tape has been applied. Two people are recommended for tape-on installations.

Avertissement: Testfit le protecteur de porte à rabattement arrière sur votre porte à rabattement arrière de véhicule pour obtenir le placement approprié avant d'installer ce protecteur de porte à rabattement arrière. Pour enregistrer-sur des installations, en raison de l'adhérence extrême de la bande, le placement approprié du protecteur de porte à rabattement arrière devrait être fait pour la première fois après que la bande ait été appliquée. Deux personnes sont recommandées pour enregistrer-sur des installations.

## 1a

**Tape-on Installation:** Clean the vehicle tailgate using the enclosed alcohol pads (B). It will be necessary to clean the inside of the tailgate protector (A) on Dynamx products also.


**Enregistrer-Sur L'Installation:** Nettoyez la porte à rabattement arrière de véhicule à l'aide des garnitures incluses d'alcool (b). Il sera nécessaire de nettoyer l'intérieur du protecteur de porte à rabattement arrière (a) sur des produits de Dynamx également.



## 1b

Peel the backing off of the tape on the tailgate protector (A) as shown. Place the tailgate protector (A) onto the vehicle tailgate and press it firmly into place. See Step 1c for Dynamx products.


Épluchez le dégagement de la bande sur le protecteur de porte à rabattement arrière (a) comme montré. Placez le protecteur de porte à rabattement arrière (a) sur la porte à rabattement arrière de véhicule et appuyez-le fermement dans l'endroit. Voir le ç d'étape pour des produits de Dynamx.



## 1c

Cut the roll of tape (D) into 2" pieces. Place them onto the tailgate protector (A) as shown and press them firmly into place. Peel the backing off of the tape on the tailgate protector (A). Place the tailgate protector (A) onto the vehicle tailgate and press it firmly into place.

Coupez le rouleau de la bande (d) en 2" des morceaux. Placez-les sur le protecteur de porte à rabattement arrière (a) comme montré et appuyez-les fermement dans l'endroit. Épluchez le dégagement de la bande sur le protecteur de porte à rabattement arrière (a). Placez le protecteur de porte à rabattement arrière (a) sur la porte à rabattement arrière de véhicule et appuyez-le fermement dans l'endroit.






Once the tailgate protector (A) has been installed on the vehicle tailgate, remove the plastic film covering the tailgate protector (A).

Une fois que le protecteur de porte à rabattement arrière (a) a été installé sur la porte à rabattement arrière de véhicule, retirez la feuille de plastique couvrant le protecteur de porte à rabattement arrière (a).

## 2

**Screw-on Installation:** Place the tailgate protector (A) onto the vehicle tailgate and press it firmly into place. Drill four evenly spaced holes using a drill with a 9/64" drillbit. Attach the tailgate protector (A) into place using four phillips head screws (C). Tighten each phillips head screw (C) into place using a phillips head screwdriver. Note: After drilling, Dee Zee recommends putting a sealant or rust inhibitor around all holes drilled into the body panel of the vehicle.

**Installation À vis:** Placez le protecteur de porte à rabattement arrière (a) sur la porte à rabattement arrière de véhicule et appuyez-le fermement dans l'endroit. Exercices quatre trous également espacés à l'aide d'un exercice avec un 9/64" drillbit. Attachez le protecteur de porte à rabattement arrière (a) dans l'endroit à l'aide de quatre vis Phillips de tête (c). Serrez chaque vis principale Phillips (c) dans l'endroit à l'aide d'un tournevis principal Phillips. Note: Après forage, Dee Zee recommande de mettre un mastic ou un agent antirouille autour de tous les trous forés dans le panneau de corps du véhicule.



**Cleaning instructions:** Clean all Dee Zee aluminum accessories with a mild detergent. Dee Zee stainless steel accessories should have an application of high quality automotive wax applied to them to maintain a longer shine.

**Instructions de nettoyage:** Nettoyez tous les accessoires en aluminium de Dee Zee avec un détergent doux. Les accessoires d'acier inoxydable de Dee Zee devraient avoir une application de la cire des véhicules à moteur de haute qualité appliquée à eux pour mettre à jour un plus long éclat.

If you should incur any problems with the installation of this product, please feel free to call us at 1-800-779-8222. So that we may better serve you when you call, please have the W/O#, SEQUENCE#, and the DATE from the labels on the outside of the box.

Si vous encourez n'importe quels problèmes avec l'installation de ce produit, sentez-vous s'il vous plaît libre pour nous appeler à 1-800-779-8222. De sorte que nous puissions améliorer le service vous quand vous appelez, veuillez ont SANS #, ORDRE #, et la DATE des étiquettes sur l'extérieur du cadre.