MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

ASSEMBLY LUBE

Synonyms: 28000 – JEGS ASSEMBLY LUBE

Company Identification

JEGS Automotive Inc. 101 Jegs Place Delaware, OH 43015 PHONE: 1-800-345-4545 WEBSITE: www.jegs.com

| CAS Registry Number | Not Applicable |
|---------------------------------|----------------|
| Synonyms | N/A |
| Generic/Chemical Name | N/A |
| Product Type | N/A |
| Preparation Date | 01/01/08 |
| Transportation Emergency | Response |
| www.jegs.com/msds | |
| Product Information | |
| | |

Product Information and MSDS Requests: 1-800-345-4545

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient | CAS | %wt |
|------------------------|-----------------------|------------|
| Petroleum Oils | 64742-62-7 | |
| Green Dye | 74499-36-8/18190-28-1 | |
| Proprietary Components | 80100362-5009P | 1 to 5 |
| | 80100062-5005P | 15 to 20 |
| | 80100362-5057P | 0.5 to 1.0 |
| | 80100362-5074P | 1 to 5 |

3. HAZARD IDENTIFICATION

DOT Hazardous Classification: Not Regulated Grease or Oil – N.O.S.

4. FIRST AID MEASURES

CARCINOGENS: No carcinogens present ROUTE OF ENTRY: Ingestion EFFECTS OF OVEREXPOSURE: May cause irritation to eyes and skin on sensitive individuals.

EMERGENCY FIRST AID PROCEDURES:

EYES: Flush with water for at least 15 minutes.
SKIN: Wash with soap and water. See physician if irritation persists.
INHALATION: Remove to fresh air. See physician if irritation persists.
ORAL: Call a physician. Do not induce vomiting. Keep warm.
ADDITIONAL: Prolonged or repeated contact may produce mild skin irritation and inflammation. Personnel with pre-existing skin disorder should avoid contact.

5. FIRE FIGHTING MEASURES

NFPA RATINGS:

Flammability: 1

Personal Protection: B

FLAMMABLE PROPERTIES:

Flashpoint: (ASTM D92) C.O.C. 559 °F

Health: 1

Flammability (Explosive) Limits (% by volume in air): Lower: NA Upper: NA

EXTINGUISHING MEDIA: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

PROTECTION OF FIRE FIGHTERS:

Fire Fighting Instructions: Treat as oil fire: Use self-contained breathing apparatus. **Combustion Products:** None

6. ACCIDENTAL RELEASE INFORMATION

ACTION TO BE TAKEN FOR SPILL/LEAKS: Stop flow, scrape, wipe, mop up, or absorb with diatomaceous earth or other inert material. Store in appropriate container for disposal. Remove contaminated clothing and launder before reuse. Discard contaminated leather gloves and shoes.

7. HANDLING AND STORAGE

Avoid storage near open flame or other sources of ignition. Wash hands with soap and water before eating, drinking or smoking.

8. EXPOSURE CONTROL/PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: Normally not needed. GLOVES PROTECTION: Neoprene or Nitrile rubber gloves recommended. EYE PROTECTION: Approved safety glasses or goggles OTHER PROTECTION: Chemically resistant boots and apron recommended. WORK/HYGIENIC PRACTICES: Use standard methods

9. PHYSICAL AND CHEMICAL PROPERTIES

| WATER SOLUBILITY: | NIL |
|--------------------------------|---------------------|
| SP, GRAVITY: | 0.95 |
| APPEARANCE & COLOR: | GREEN/LIQUID |
| ODOR: | MILD PETROLEUM ODOR |
| EVAPORATION RATE: | N/A |

| 10. STABILITY AND REACTIVITY |
|-------------------------------------|
|-------------------------------------|

| BOILING POINT: | N/A |
|-------------------------------|-----|
| MELTING POINT: | N/A |
| VOLATILE BY VOLUME, %: | N/A |
| VAPOR PRESSURE: | N/A |
| VAPOR DENSITY: | N/A |
| | |

NI/A

STABILITY: Stable INCOMPATIBILITY: Strong oxidizing agents, welding POLYMERIZATION: Will not occur THERMAL DECOMPOSITION: Carbon Monoxide, Carbon Dioxide, Metallic and Sulphur Compounds. CONDITIONS TO AVOID: Do not heat above flash point.

11. TOXILOGICAL INFORMATION

None.

12. ECOLOGICAL INFORMATION

None.

13. DISPOSAL INFORMATION

DISPOSAL METHOD: Disposal should be in compliance with federal, state, and local laws.

14. TRANSPORTATION INFORMATION

None.

15. REGULATORY INFORMATION

None.

16. DISCLAIMER

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best knowledge of JEGS Automotive Inc. JEGS Automotive Inc. makes no warranty whatsoever expressed or implied of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. JEGS Automotive Inc. assumes no legal responsibility for use or reliance upon this data. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and

since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.