
OWNER'S MANUAL & SAFETY INSTRUCTIONS

SAVE THIS MANUAL. Read carefully and understand all assembly (if applicable) and operation instructions before using product. Protect yourself and others by reading all safety information, warnings and precautions. Failure to comply with instructions could result in personal injury and/or damage to vehicles or property. Please retain instructions and receipt for future reference.

MAX RAMPS

3,500 LB. CAPACITY 2-PC CAR HAULER RAMPS



Items #: MRTX-11-SP

When unpacking, make sure that product is undamaged. If any pieces are missing or damaged, do not use product and call 844-629-7267 or email support@maxramps.com.

Copyright 2026 by MaxRamps. I MaxRamps.com I Rev. 09012026

MADE IN USA

MAX RAMPS

Items #: MRTX-11-SP

IMPORTANT! General Guidelines

- Read and understand all instructions in this owner's manual. Failure to follow all instructions in this owner's manual may result in serious injury or property damage.
- Always keep these instructions with the product and review before each use. Do not allow persons to use this ramp until they have read this manual and have developed a thorough understanding of how the ramp works.
- Inspect product before each use to ensure all parts and pieces are in safe and working order and free of defects. Do not use if parts are damaged.
- Never modify the product in any way. Modifying product immediately voids warranty.
- Make sure your vehicle is compatible with the ramps by checking axle weight, clearance angle, and tire width. See your product's technical specifications on page 4.
- Product must make FULL CONTACT with the ground. Do not use any of our products as a bridge under any circumstances.
- Use product on dry, level, and hard surfaces only.
- Store product indoors in a climate-controlled environment. Excessive heat or cold may cause damage to stored ramps.
- Do not exceed the maximum load capacity of the product.
- All circumstances cannot be covered in this manual. Use common sense and practice general safety precautions when using this product.
- Parts and/or instructions are subject to change without notice. Please check our website for the most current instructions.

MADE IN USA

MAX RAMPS

Items #: MRTX-11-SP

IMPORTANT! Safety Instructions

- Before ramp usage, inspect and ensure that ramps are free from damage.
- CAUTION! Before ramp usage, ensure other persons and pets are clear of the vehicle and ramps.
- WARNING! Do not exceed the rated weight capacity of 3,500 lb. maximum axle capacity.
- WARNING! Do not exceed the recommended maximum tire width (see page 4 under Technical Specifications & Packing List).
- This ramp is intended for use only with trailers and loading surfaces that provide adequate structural support and even weight distribution across the ramp contact area.
- WARNING! Do not use with pull-out, slide-out, or narrow trailer ramps that create concentrated load points or uneven weight distribution on the ramp notch. Failure to maintain proper load distribution across the ramp notch may result in ramp instability, structural failure, equipment damage, or injury.
- CAUTION! Use ramps on dry, level, hard surfaces. Do not ascend or descend ramps if tires are wet.
- Each ramp must make FULL CONTACT with the ground. Do not use the ramp as a bridge under any circumstances.
- CAUTION! Always drive slowly and cautiously when ascending or descending the ramps. NEVER accelerate or brake suddenly.
- Another person who is standing clear of the vehicle should act as a spotter. The spotter is to observe and guide the driver when ascending or descending the ramps.

MADE IN USA

MAX RAMPS

Items #: MRTX-11-SP

Technical Specifications & Packing List

SKU	MRTX-11-SP
Product Dimensions	131" x 14" x 11" (L x W x H)
Notch Dimensions	5" x 14" x 3" (L x W x D)
Package Includes	2 ramps 4 total pieces
Ramp Angle	4.3-degrees
Max Tire Width	12"
Load Capacity	1,750 lbs. per ramp, 3,500 lbs. combined per pair
Material	EPS solid core high-density foam with polyurea coating

MADE IN USA

MAX RAMPS

Items #: MRTX-11-SP

IMPORTANT! Use & Care

- The ramps are designed for use with passenger vehicles and light trucks.
- The ramps are NOT intended for commercial heavy-duty trucks.
- The ramps are NOT intended for toolboxes, carts or any non-passenger vehicle wheels/tires.
- This ramp is intended for use only with trailers and loading surfaces that provide adequate structural support and even weight distribution across the ramp contact area.
- WARNING! Do not use with pull-out, slide-out, or narrow trailer ramps that create concentrated load points or uneven weight distribution on the ramp notch. Failure to maintain proper load distribution across the ramp notch may result in ramp instability, structural failure, equipment damage, or injury.
- Use the correct ramp for the task. Ensure that the angle of the ramp will clear your vehicle's maximum clearance angle.
- DO NOT modify the ramps in any way. Modifying product immediately voids warranty.
- Store product indoors in a climate-controlled environment. Excessive heat or cold may cause damage to stored ramps.
- DO NOT throw or drop ramps onto the ground.
- Ramps may be washed with mild soap and water. Be sure to fully rinse soap off the ramps and dry fully before next use.

MADE IN USA

OWNER'S MANUAL & SAFETY INSTRUCTIONS


MAX RAMPS

Items #: MRTX-11-SP

IMPORTANT! Set Up & Operation Instructions

1. Inspect the ramps to ensure there is no damage BEFORE EVERY USE. Ensure all persons not involved in the process are clear of the ramps.

2. Assemble the 2-piece ramps and ensure that the incline piece (1) is properly interlocked with the notch piece (2). See illustration.



3. LOADING VEHICLE: Gently lower the trailer door or trailer deck and place on the ramp notch. *If your trailer door has an attached flap, either keep the flap folded, or remove entirely. DO NOT unfold the flap on this ramp model. MaxRamps manufactures other ramp models that accommodate the usage of the flap.

4. Check that the position of the ramps are in line with the vehicle tires and that the steering wheel is pointed straight.

5. With a spotter present (see page 3), carefully ascend the ramps in a slow and controlled manner until the vehicle is safely on/in the trailer. Ensure that the spotter signals and guides you. WARNING! Never accelerate or brake suddenly.

6. NOTE! When applicable, be careful to closely observe as the vehicle transitions from the trailer door incline and into/onto the trailer. Depending on the vehicle's wheelbase, there may be a risk of hi-centering or rubbing of the underbody.

7. Once the vehicle is safely loaded on/in the trailer, the ramps may be removed.

8. UNLOADING VEHICLE: WARNING! Ensure that the incline piece (1) is properly interlocked with the notch piece (2). Lower the trailer door or trailer deck and place it on the ramp notch. Ensure that the ramps are in line with the vehicle's tires and that the steering wheel is pointed straight. Carefully descend the ramps in a slow and controlled manner until the vehicle is safely on the ground. WARNING! Never accelerate or brake suddenly.

MADE IN USA

OWNER'S MANUAL & SAFETY INSTRUCTIONS

Items #: MRTX-11-SP

Limited Warranty and Disclaimer of Liability

Subject to the terms below, MaxRamps ("Manufacturer") warrants that the Product conforms to Manufacturer's published specifications and is free from defects in materials and workmanship under normal use. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE.

MaxRamps products purchased from an authorized dealer or directly from MaxRamps are backed by a one-year warranty. This warranty is limited to solely the repair or replacement of manufacturer defects and does not cover damage to a car, personal injury, labor, or any other damage or injury. MaxRamps is not responsible for damage or injuries caused by improper or unintended use. MaxRamps shall not be responsible for consequential damage or costs. Proof of purchase is required for all warranty claims. This warranty is non-transferable and applies only to the original purchaser (other than for resale).

EXCLUSIONS FROM WARRANTY: 1) Misuse, abuse, neglect, accident, or use beyond rated capacity; 2) Improper or unintended use; 3) Cuts, gouges, abrasions or surface wear caused by tires, tools, heat, or improper contact; 4) Extreme chemicals; 5) Improper storage; 6) Cosmetic blemishes or minor surface irregularities that do not affect functionality; 7) Normal wear and tear; 8) Unauthorized modifications or repairs; 9) Damage caused by natural disasters; 10) Incidental, indirect, or consequential damages, including vehicle damage, personal injury, loss of time, or other expenses.

PURCHASER'S RESPONSIBILITY: 1) Keep and provide proof of purchase for all warranty claims; 2) Inspect product upon receipt and inform of shortages within 10 days of delivery or defects within 10 days of discovery; 3) Use and maintain the product per the owner's manual; 4) Submit claims in writing within the above timeframes. Submissions not within the above timeframes are deemed waived.

MaxRamps continues to conduct research and development on products whereby specifications are subject to change without notice.

QUESTIONS? Please contact MaxRamps at 844-629-7267 or email support@maxramps.com.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov