




BD Boost Fooler

Part #	Application
1515935	2003-04 Dodge Cummins (3.2V) (White Dot)
1515936	2004½-07 Dodge Cummins (3.6V) (Blue Dot)

Please read this manual before starting installation.

UNLESS AN EO# IS LISTED, THIS PRODUCT IS LEGAL IN CALIFORNIA FOR RACING VEHICLES ONLY, WHICH MAY NEVER BE USED UPON A HIGHWAY.


Recommend Products

<u>Description</u>	<u>Part#</u>
Adjustable Wastegate	1047154

The adjustable wastegate will allow you to create more boost by eliminating boost creep and having better control of the turbocharger boost. Set it, and forget it.

Installation

Locate the boost electrical connection. It is located on the drivers side of the engine valve cover, by the injector rail. Refer to the picture below.



Unplug the factory boost connection from the engine. Plug the BD Boost Fooler inline with the factory plug, and then plug the remaining end of the BD Boost Fooler into the factory plug on the engine.



Questions?

If you have any technical concerns or questions about this product, please contact our Technical Support hotline at (800) 887-5030, between 8:30am-5:30pm Pacific Standard Time (PST), Monday to Friday. Or, you can post a topic on our informative on-line technical forum, located at <http://www.bd-power.com/>.