









DODGE NITRO


Satellite Radio Antenna








10 mm










1




2









14




15




16



17



18



19

Reconfigure the Front Control Module (FCM) by use of the STARSCAN diagnostic tool.

FCM Reconfiguration Procedure

IN THE INITIAL START UP SCREEN


- PRESS -----
- TOGGLE DOWN AND HIGHLIGHT -----
- PRESS -----
- PRESS -----
- TOGGLE DOWN AND HIGHLIGHT -----
- PRESS -----

*FOLLOW ON SCREEN PROMPTS
(I.E. CYCLE IGNITION KEY)*




- PRESS -----
- PRESS -----

20






- Drive vehicle outside to allow for a clear satellite signal to the antenna.




21








REMARQUE : Veuillez vérifier que la radio soit compatible avec la transmission satellite. Trouver le logo SIRIUS inscrit sur la radio.















1



2







Reconfigurez le module de commande avant (FCM) à l'aide de l'outil de diagnostic STARSCAN.

Procédure de reconfiguration du FCM

DANS L'ÉCRAN DE DÉMARRAGE INITIAL

- APPUYEZ -----
- FAITES BASCULER VERS LE BAS ET SÉLECTIONNEZ


- APPUYEZ -----
- APPUYEZ -----
- FAITES BASCULER VERS LE BAS ET SÉLECTIONNEZ -----
- APPUYEZ -----

SUIVEZ LES INVITES À L'ÉCRAN
(C'EST-À-DIRE, CYCLE DE LA CLÉ DE CONTACT)

- APPUYEZ -----
- APPUYEZ -----

20

- Conduisez le véhicule à l'extérieur pour que l'antenne puisse capter un signal satellite clair.



21