



2501 Ludelle Street
Fort Worth, Texas 76105
817-244-6212 Phone • 817-244-4024 Fax
888-350-6588 Sales • 800-423-9696 Tech
E-mail: painless@painlessperformance.com
Web: www.painlessperformance.com


30901

'67 to '72 Chevy Pickup

This kit must be used with the factory A/C system.

The different connectors in this kit have been labeled for your convenience and to help you identify different areas. Please familiarize yourself with the different areas.

1. Route your harness to the proper areas. See illustration. **Note: Do not plug in the connectors at this time.**
2. If you are using a Painless Wiring chassis kit, (10206), you will need to find circuit **#904**. This wire will be grn or blk/wht. Once you have found this wire route it over to the control switch. Cut it to length. In the control switch there is a 6-inch brown wire with a butt slice on the end. Splice these two together.
3. Locate circuit **#930** Which can be found at your headlight switch. Route the gray wire over to where you plan to make a splice. Cut the #930 and splice the gray wire into it.
4. Plug all the connectors in to there proper places.
5. Attach your two black ground wires.
6. Attach your orange power wire to a constant hot source. Like your battery, starter relay, or your 50 amp maxi fuse. A 30 amp in-line fuse has been preterminated for your overall circuit protection.



Painless Performance Limited Warranty and Return Policy

Chassis harnesses and fuel injection harnesses are covered under a lifetime warranty.

All other products manufactured and/or sold by Painless Performance are warranted to the original purchaser to be free from defects in material and workmanship under normal use. Painless Performance will repair or replace defective products without charge during the first 12 months from the purchase date. No products will be considered for warranty without a copy of the purchase receipt showing the sellers name, address and date of purchase. You must return the product to the dealer you purchased it from to initiate warranty procedures.