



TRX-4® 1979 Chevrolet Blazer (Model 82076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

| | |
|--------------|--|
| 8241 | Axle housing, front |
| 8242 | Axle housing, intermediate (TRX-6™) or rear (TRX-4®) |
| 8227 | Axle mount set (complete) (front & rear) (for suspension links) |
| 8228 | Axle shaft, front (left)/ drive pin/ cross pin |
| 8229 | Axle shaft, front (right)/ drive pin/ cross pin |
| 8060 | Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) |
| 8062 | Axle shaft, front, heavy duty (left & right)/ portal drive input gear (machined) (2) (assembled) |
| 8230 | Axle shaft, rear (left) |
| 8231 | Axle shaft, rear (right) |
| 8061 | Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) |
| 8063 | Axle, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) |
| 8233 | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) |
| 8256 | Portal drive axle mount, rear (left & right) |
| 8256X | Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256A | Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256G | Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256R | Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4) |
| 8252 | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) |
| 8253 | Portal drive housing, inner, rear (left or right) (2) |
| 8251 | Portal drive housing, outer (front or rear) (2) |
| 8064 | Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft) |
| 8257 | Portal drive input gear, front/ drive pin/ cross pin |
| 8259 | Portal drive input gear, rear |
| 8065 | Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) |
| 8258 | Portal drive output gear, front or rear |
| 8252X | Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) |
| 8252A | Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2) |
| 8252G | Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2) |
| 8252R | Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2) |
| 8253X | Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) |
| 8253A | Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2) |
| 8253G | Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) |
| 8253R | Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) |
| 8251X | Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) |
| 8251A | Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) |
| 8251G | Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) |
| 8251R | Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) |
| 8255A | Stub axle, extended (portal drive) (2) |
| 8267 | Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) |

Bearings & Bushings

| | |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2) |
| 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2) |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2) |
| 5114A | Ball bearings, black rubber sealed (5x8x2.5mm) (2) |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2) |
| 5180A | Ball bearings, black rubber sealed (6x13x5mm) (2) |
| 5103A | Ball bearings, black rubber sealed (7x14x5mm) (2) |

Body (1969 Chevrolet Blazer)

| | |
|--------------|--|
| 8090 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body) |
| 9112 | Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting) (includes grille, side mirrors, door handles, windshield wipers, decals, window masks) |
| 9112X | Body, Chevrolet Blazer (1969), complete (black) (includes grill, side mirrors, door handles, windshield wipers, front & rear bumpers, decals) |
| 9125 | Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers) |
| 9127 | Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2) |
| 9124 | Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) |
| 9113 | Decal sheets, Chevrolet Blazer (1969 -1972) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 9115 | Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) |
| 9123 | Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/ headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/ hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body) |
| 9116 | Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8) |
| 9121 | Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9112 body) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 9122 | Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4) |

Body (1972 Chevrolet Blazer)

| | |
|--------------|--|
| 8090 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body) |
| 9111 | Body, Chevrolet Blazer (1972) (clear, requires painting) (includes grille, side mirrors, side trim, door handles, windshield wipers, decals, window masks) |
| 9111X | Body, Chevrolet Blazer (1972), complete (blue) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals) |
| 9125 | Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers) |
| 9126 | Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4) |
| 9124 | Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) |
| 9113 | Decal sheets, Chevrolet Blazer (1969 -1972) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 9115 | Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) |
| 9120 | Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111 body) |
| 9116 | Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8) |
| 9118 | Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 9117 | Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body) |
| 9119 | Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4) |

Body (1979 Chevrolet Blazer)

| | |
|-------------|---|
| 8130 | Body, Chevrolet Blazer (1979) (clear, requires painting)/ window masks |
|-------------|---|

Page 2 TRX-4® 1979 Chevrolet Blazer: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82076-4) Parts List

| | |
|--------------|--|
| 8130X | Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals) |
| 8130R | Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals) |
| 8131 | Decal sheet, Chevrolet Blazer (1979) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8132 | Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body) |
| 8134 | Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body) |
| 8082 | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights harness, hardware) |
| 8039 | LED light set (contains headlights, tail lights, side marker lights, distribution block (fits #8130 body, requires #8028 power supply) |
| 8038 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body) |
| 8133X | Mirrors, side (folding) (fits #8130 body) |
| 8133 | Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8135 | Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body) |

Body (1979 Ford Bronco)

| | |
|--------------|---|
| 8010 | Body, Ford Bronco (1979) (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2) |
| 8010X | Body, Ford Bronco (1979), complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders) |
| 8078R | Decal sheet, Bronco, red (fits #8010 body) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8075 | Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body) |
| 8070 | Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body) |
| 8036 | LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power supply) |
| 8035 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body) |
| 8037 | LED lights, high/low switch (for #8035 or #8036 LED light kits) |
| 8073 | Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 body) |
| 8073X | Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 body) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8076 | Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body) |
| 8074 | Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware |
| 8077 | Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body) |
| 8071 | Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body) |

Body (Land Rover® Defender®)

| | |
|--------------|--|
| 8011 | Body, Land Rover® Defender® (clear, trimmed, requires painting)/ window masks/ decal sheet |
| 8011A | Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack) |
| 8011T | Body, Land Rover® Defender®, blue (painted)/ decals |
| 8011X | Body, Land Rover® Defender®, graphite silver (painted)/ decals |
| 8011R | Body, Land Rover® Defender®, red (painted)/ decals |
| 8012 | Decals, Land Rover® Defender® |
| 8016 | ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body) |
| 8019 | Fender brace, inner, front & rear |
| 8017 | Fender flares, front & rear (2 each) (fits #8011 or #8211 body) |
| 8018 | Fenders, inner, front & rear (2 each)/ rock light covers (8) |
| 8013 | Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) |

| | |
|-------------|---|
| 8027 | LED headlight/tail light kit (fits #8011 body, requires #8028 power supply) |
| 8025 | LED light bar (Rigid®), TRX-4 (requires #8028 power supply) |
| 8029 | LED light bar kit (Rigid®)/power supply, TRX-4® |
| 8020 | Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body) |
| 8015 | Roof basket (requires #8016 ExoCage) (fits #8011 body) |
| 8021 | Spare tire mount/ mounting bracket/ screw pins (2) |
| 8014 | Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 body) |

Body (Mercedes-Benz® G 500®)

| | |
|--------------|---|
| 8811 | Body, Mercedes-Benz® G 500® 4x4² (clear, requires painting)/ decals/ window masks (includes rear body post, grille, side mirrors, door handles, & windshield wipers) |
| 8812 | Decals, Mercedes-Benz® G 500® 4x4² |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8813X | Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/ turn signal housing retainer (2)/ turn signal lens |
| 8899 | LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 or #8825 body, requires #8028 power supply) |
| 8898 | LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or #8825 body) |
| 8817 | Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8822 | Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4) |
| 8816X | Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2) |
| 8814X | Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right) |

Body (Tactical Unit)

| | |
|--------------|---|
| 8211X | Body, Tactical Unit, night camo (painted)/ decals |
| 8019 | Fender brace, inner, front & rear |
| 8017 | Fender flares, front & rear (2 each) (fits #8011 or #8211 body) |
| 8018 | Fenders, inner, front & rear (2 each)/ rock light covers (8) |
| 8020 | Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body) |
| 8021 | Spare tire mount/ mounting bracket/ screw pins (2) |

Body (TRX-4® Sport)

| | |
|--------------|---|
| 8112 | Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet |
| 8111R | Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet |
| 8111 | Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet |
| 8113 | Decal sheet, TRX-4® Sport |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8120X | Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body) |
| 8120 | Expedition rack/ mounting hardware (fits #8111 or #8111R body) |
| 8116 | Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) |
| 8086 | LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply) |
| 8084 | LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) |
| 8088 | LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply) |
| 8087 | LED light bar, roof lights (fits #8111 body, requires #8028 power supply) |
| 8085 | LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) |
| 8119 | Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8122 | Shovel/ axe/ accessory mount/ mounting hardware |
| 8118 | Spare tire mount/ mounting hardware |
| 8117 | Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) |

Page 3 TRX-4® 1979 Chevrolet Blazer: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82076-4) Parts List

| | |
|-------|--|
| 8121X | Traction boards, blue/ mounting hardware |
| 8121G | Traction boards, green/ mounting hardware |
| 8121A | Traction boards, yellow/ mounting hardware |
| 8121 | Traction boards/ mounting hardware |

Body Accessories

| | |
|-------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1834 | Body clips (12) (standard size) |
| 1834A | Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 8215 | Body mounts & posts, front & rear (complete set) |
| 8115 | Body posts, front & rear |
| 4915 | Body washers, foam adhesive (10) |
| 2514 | Decal sheet, racing sponsors |
| 8081 | Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders) |
| 8080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) |
| 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |

Bumpers & Skidplates

| | |
|-------|--|
| 8234 | Bumper D-Rings, gray (front or rear)/ 2x12 CS (4) |
| 8234R | Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) |
| 8067 | Bumper mounts, front & rear |
| 8067X | Bumper mounts, front & rear/ bumper mount, rear (offset) |
| 8237 | Bumper mounts, front & rear/ screw pins (4) |
| 8124 | Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1) |
| 8137 | Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2) |
| 8235 | Bumper, front/ winch |
| 8236 | Bumper, rear |
| 8125 | Bumper, rear (176mm wide) |
| 8136 | Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2) |
| 8138 | Push bar, bumper, chrome (assembled) (fits #8137 bumper) |
| 8238 | Skidplate/ lower gear cover |

Chassis & Attachments

| | |
|-------|---|
| 8215 | Body mounts & posts, front & rear (complete set) |
| 8224 | Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) |
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) |
| 8220 | Chassis rails, 448mm (steel) (left & right) |
| 8081 | Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders) |
| 8080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) |
| 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) |
| 8218 | Floor pans, left & right |
| 8224X | Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease |
| 8219 | Rock sliders, left & right |
| 8225 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 8240X | Servo mount, 2-speed/ servo mount, T-Lock/ wire clips |
| 8239 | Servo mount, steering/ chassis crossmember |
| 8216 | Shock towers, front & rear (left & right) |
| 8226 | Tray, battery |

Differential Components

| | |
|-------|--|
| 8281 | Carrier, differential/ differential slider/ T-Lock fork |
| 8280A | Differential cover, front or rear (black) |
| 8280X | Differential cover, front or rear (chrome-plated) |
| 8280 | Differential cover, front or rear (gray) |
| 8280R | Differential cover, front or rear (red) |
| 8195 | Differential, locking, front and rear (assembled) (includes T-Lock cables and servo) |
| 8282 | Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2)) |
| 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) |
| 8279 | Ring gear, differential/ pinion gear, differential |
| 8279R | Ring gear, differential/ pinion gear, differential (machined) |

| | |
|------|---|
| 8287 | Ring gear, differential/ pinion gear, differential (overdrive, machined) |
| 8288 | Ring gear, differential/ pinion gear, differential (underdrive, machined) |
| 8297 | Spool/ differential housing plug/ e-clip |

Driveline Components

| | |
|-------|---|
| 8250 | Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) |
| 8255A | Stub axle, extended (portal drive) (2) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) |

Hardware

| | |
|-------|--|
| 1552 | Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench |
| 1834 | Body clips (12) (standard size) |
| 1834A | Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 8167X | Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) |
| 8298 | Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4) |
| 8151 | Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit) |
| 5476X | Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 8347 | Nuts, 4mm flanged nylon locking, serrated (black) (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 8221 | Screw pin, 3x10mm (6) |
| 3229 | Screws, 2.5x10mm cap-head machine (hex drive) (6) |
| 2523 | Screws, 2.5x10mm countersunk machine (hex drive) (6) |
| 3236 | Screws, 2.5x12mm cap-head machine (6) |
| 2618 | Screws, 2.5x16mm cap-head machine (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 2617 | Screws, 2.5x8mm button-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2524 | Screws, 2.5x8mm countersunk machine (hex drive) (6) |
| 8299 | Screws, 2.6x12mm button-head, self-tapping (hex drive) (6) |
| 8167 | Screws, 2x10mm cap-head, self-tapping (hex drive) (10) |
| 2564 | Screws, 2x8mm cap-head machine (hex drive) (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 4859 | Screws, 3x10mm flat-head machine (hex drive) (4) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2581 | Screws, 3x25mm button-head machine (hex drive) (6) |
| 2616 | Screws, 3x27mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3933 | Screws, 4x16mm button-head machine (hex drive) (6) |

LED Light Accessories

| | |
|-------|--|
| 8031 | 3-in-1 wire harness, LED light kit |
| 8089 | 4-in-2 wire harness, LED light kit |
| 6589 | Distribution block, LED light set |
| 8028 | LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness |
| 8026X | LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) |

Long Arm Lift Kit

| | |
|-------|--|
| 8162X | Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8162R | Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) |

- 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8148 Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit)
- 8147 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
- 8150 Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)
- 8140 Long Arm Lift Kit, TRX-4®, complete
- 8140X Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)
- 8140R Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
- 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
- 8141 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
- 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)
- 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8153 Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8154 Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8155 Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)
- 8156 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8157 Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8146X Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8146R Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8143 Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8143X Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8143R Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8145 Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8145X Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8145R Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8142 Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8142X Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8142R Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8172 Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)
- 8181 Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8170 Tires, Canyon Trail 5.3x2.2" / foam inserts (2)
- 8171 Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
- 8171A Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)
- 8180 Wheels, TRX-4® Sport 2.2 (2)

Motors & Electronics

- 1926 Antenna caps, viny l (2)/ antenna spool
- 1726 Antenna, tube (1)/ viny l antenna cap (1)/ wire retainer (1)
- 2262 BEC, complete (includes receiver box cover and seals)
- 2064 Gear set (for 2065 waterproof sub-micro servo)
- 2064A Gear set (for 2065A waterproof sub-micro servo)
- 2064R Gear set, metal (for 2065R waterproof sub-micro servo)
- 2064X Gear set, metal (for 2065X waterproof sub-micro servo)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2072R Gear set, metal, high speed (for 2070, 2075 servos)
- 8290X Motor mount plate, 6061-T6 aluminum (blue-anodized)
- 8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
- 8290G Motor mount plate, 6061-T6 aluminum (green-anodized)
- 8290R Motor mount plate, 6061-T6 aluminum (red-anodized)
- 3975R Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
- 8290 Plate, motor/ upper spur gear cover
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
- 2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
- 2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
- 5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065A Servo, sub-micro, waterproof
- 2065R Servo, sub-micro, waterproof, metal gear
- 3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev /brake)
- 2261 Y-harness, BEC

Pro Scale® Advanced Lighting Control System

- 6593 Distribution block, Pro Scale® Advanced Lighting Control System
- 8082 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights harness, hardware)
- 6592 Power module, Pro Scale® Advanced Lighting Control System
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)

Pro Scale® Winch & Accessories

- 8867 Bumper, front, winch, medium (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide)
- 8859 Fairlead, winch
- 8870X Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870A Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870G Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870T Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870R Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8862 Gearmotor, winch
- 8863 Hook, winch (steel)
- 8858 Housings (front & rear), winch/ decal
- 8864X Line, winch (blue)
- 8864 Line, winch (gray)
- 8864R Line, winch (red)
- 8860 Spool shaft assembly, winch
- 8861 Spool, winch
- 8855 Winch kit with wireless controller, TRX-4
- 8856 Winch, TRX-4® (requires #8857 wireless remote)
- 8857 Wireless remote, winch, TRX-4®

Radio System, Batteries & Chargers

| | |
|-------|--|
| 2823X | 1400mAh 11.1v 3-Cell 25C LiPo Battery |
| 2820X | 2200mAh 7.4v 2-Cell 25C LiPo Battery |
| 2849X | 4000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2872X | 5000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2943 | Battery charge indicators (green (4), blue (4), gray (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 8222 | Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2994 | Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1)) |
| 2991 | Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2)) |
| 2262 | BEC, complete (includes receiver box cover and seals) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 6512 | Cover plate, Traxxas Link™ Wireless Module |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2064 | Gear set (for 2065 waterproof sub-micro servo) |
| 2064A | Gear set (for 2065A waterproof sub-micro servo) |
| 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) |
| 2064X | Gear set, metal (for 2065X waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6561 | Mount, telemetry expander (fits TRX-4®) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2063A | Servo case/gaskets (for 2065A waterproof sub-micro servo) |
| 2063R | Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) |
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |

| | |
|-------|---|
| 2065A | Servo, sub-micro, waterproof |
| 2065R | Servo, sub-micro, waterproof, metal gear |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link™ Wireless Module |
| 2261 | Y-harness, BEC |

Ready-To-Race Model

| | |
|---------|--|
| 82076-4 | TRX-4® Scale and Trail™ Crawler with 1979 Chevrolet Blazer Body: 4WD Electric Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System |
|---------|--|

Scale Details

| | |
|-------|--|
| 8120X | Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body) |
| 8022T | Fuel canisters (black) (2)/ 3x8 FCS (1) |
| 8022R | Fuel canisters (blue) (2)/ 3x8 FCS (1) |
| 8022 | Fuel canisters (red) (2)/ 3x8 FCS (1) |
| 8022X | Fuel canisters (white) (2)/ 3x8 FCS (1) |
| 8022A | Fuel canisters (yellow) (2)/ 3x8 FCS (1) |
| 8023T | Jack (black) (1)/ 2x8 BCS (1) |
| 8023 | Jack (red) (1)/ 2x8 BCS (1) |
| 8122 | Shovel/ axe/ accessory mount/ mounting hardware |
| 8121X | Traction boards, blue/ mounting hardware |
| 8121G | Traction boards, green/ mounting hardware |
| 8121A | Traction boards, yellow/ mounting hardware |
| 8121 | Traction boards/ mounting hardware |

Shock Oil

| | |
|-------|---|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 1667 | Silicone shock oil (30 wt), 60cc |
| 5038 | Spinning carousel rack |

Shocks (GTS)

| | |
|-------|---|
| 8266 | Body, GTS shock (aluminum, silver-anodized) (1) |
| 8266X | Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) |
| 8266A | Body, GTS shock, aluminum (blue-anodized) (1) |
| 8266G | Body, GTS shock, aluminum (green-anodized) (1) |
| 8266R | Body, GTS shock, aluminum (red-anodized) (1) |
| 8264 | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5475 | Multi-tool (plastic) |
| 8261 | Piston, damper (red) (4)/ e-clips (8) |
| 8262 | Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) |
| 8263 | Shock shaft, 3x47mm (GTS) (2) |
| 8263T | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) |
| 8260X | Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) |
| 8260A | Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) |
| 8260G | Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) |
| 8260R | Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) |
| 8260 | Shocks, GTS, silver aluminum (assembled with spring retainers) (2) |

Slipper Clutch Components

| | |
|------|---|
| 8292 | Input shaft/ output shaft (transmission) |
| 8286 | Output shafts (transfer case), front & rear |
| 8254 | Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) |
| 8249 | Slipper eliminator plate |

Springs

| | |
|------|---|
| 8042 | Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) |
| 8043 | Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) |
| 8044 | Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) |
| 8041 | Springs, shock (natural finish) (GTS) (0.45 rate) (2) |
| 8040 | Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) |
| 8045 | Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) |

Spur Gears & Pinion Gears

| | |
|-------|---|
| 6746 | Gear, 10-T pinion (32-p) (steel)/ set screw |
| 6747 | Gear, 11-T pinion (32-p) (steel)/ set screw |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel)/ set screw |
| 8052 | Spur gear, 39-tooth (32-pitch) |
| 8053 | Spur gear, 45-tooth (32-pitch) |

Steering Components

| | |
|-------|---|
| 8232 | Caster blocks (portal drive), left & right/ kingpin bushings (4) |
| 8232X | Caster blocks, 6061-T6 aluminum (blue-anodized), left and right |
| 8232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right |
| 8232G | Caster blocks, 6061-T6 aluminum (green-anodized), left and right |
| 8232R | Caster blocks, 6061-T6 aluminum (red-anodized), left and right |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 8247X | Servo horn, steering, metal/ 3x14 BCS (1) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8246 | Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Suspension Linkage

| | |
|------|--|
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |

| | |
|------|--|
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Team Traxxas Items

| | |
|-------|--|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 8169T | Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168T | Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169X | Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168X | Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169G | Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168G | Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8168A | Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169R | Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168R | Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169 | Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168 | Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8164 | Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) |
| 8176 | Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) |
| 8174 | Tires and wheels, assembled (Method 105 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) |
| 8172 | Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) |
| 8166X | Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended stub axle) |
| 8166 | Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8177 | Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8183X | Tires and wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A extended stub axle) |
| 8182 | Tires and wheels, assembled, glued (Method 105 1.9" black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) |
| 8273 | Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8272X | Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8272 | Tires and wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8179 | Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8181 | Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm Lift Kit) |
| 8270 | Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) |
| 8170 | Tires, Canyon Trail 5.3x2.2" / foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) |
| 8165 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8175 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8173 | Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately) |
| 8173A | Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately) |
| 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8268 | Wheels, Tactical 1.9 (2) |

Page 7 TRX-4® 1979 Chevrolet Blazer: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82076-4) Parts List

- 8271 Wheels, TRX-4® 1.9 (2)
- 8271X Wheels, TRX-4® 1.9 (satin beadlock) (2)
- 8178 Wheels, TRX-4® Sport 1.9 (2)
- 8180 Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)

- 8883 Traxx™, rear, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
- 8884 Traxx™, rear, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
- 8880 Traxx™, TRX-4® (4) (complete set, front & rear)
- 8895 Treads, All-Terrain, TRX-4® Traxx™ (front, left or right) (rubber) (1)
- 8896 Treads, All-Terrain, TRX-4® Traxx™ (rear, left or right) (rubber) (1)

Transmission Components

- 8283 Cable, T-lock (front)
- 8284 Cable, T-lock (rear)
- 8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
- 8289 Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
- 8293X Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
- 8291 Gearbox housing (includes main housing, front housing, & cover)
- 8285 Gears, transfer case (3)
- 5041 Grease, premium high performance (20cc)
- 8292 Input shaft/ output shaft (transmission)
- 8290X **Motor mount plate, 6061-T6 aluminum (blue-anodized)**
- 8290A **Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)**
- 8290G **Motor mount plate, 6061-T6 aluminum (green-anodized)**
- 8290R **Motor mount plate, 6061-T6 aluminum (red-anodized)**
- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8294 Output gear, high range, 24T (metal)
- 8286 Output shafts (transfer case), front & rear
- 8290 Plate, motor/ upper spur gear cover
- 8249 **Slipper eliminator plate**
- 8296 **Transmission gears, single speed, metal**
- 8196 Two speed conversion kit

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8721 **Speed bit handle, medium (one piece)**
- 8720 **Speed bit handle, premium, large (rubber overmold)**
- 8722 **Speed bit handle, premium, medium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

TRX-4® Traxx™

- 8889 Bearing retainers, inner (2), outer (2)
- 8890 Drive wheel (1)
- 8885 Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
- 8888 Spring (4)
- 8887 Stub axle (1)
- 8886 Stub axle nut (4)
- 8891 Tension wheels (6)/ road wheels (4)
- 8881 Traxx™, front, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
- 8882 Traxx™, front, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)