

TRX-4® Chevrolet® K10 High Trail Edition™ Model 92056-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet® Blazer)
8241	Axle housing, front	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		(includes grille, side mirrors, door handles, windshield wipers,
8227	Axle mount set (complete) (front & rear) (for suspension links)	04407	decals, window masks)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill, side mirrors, door handles, windshield wipers, front & rear
8229	Axle shaft, front (right)/ drive pin/ cross pin		bumpers, decals)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear		drill bit (fits #9126 or #9127 front bumpers)
0002	(machined) (2) (assembled)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8230	Axle shaft, rear (left)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8231	Axle shaft, rear (right)	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	6593	Distribution block, Pro Scale® Advanced Lighting Control
0000	rear (machined)	9115	System Door handles, left, right, and rear/ retainers (3)/ windshield
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	0110	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256	Portal drive axle mount, rear (left & right)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
	(left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8090	LED light set, complete with power supply (contains headlights,
92566	anodized) (left and right)/ 2.5x16 CS (4)		tail lights, side marker lights, & distribution block) (fits #9111 or
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)		9112 body)
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	(left and right)/ 2.5x16 CS (4)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9121	(self-tapping) (8) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8253	Portal drive housing, inner, rear (left or right) (2)	J.2.	#9112 body)
8251	Portal drive housing, outer (front or rear) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8064	Portal drive input gear, front (machined) (left or right) (requires	6591	Pro Scale® Advanced Lighting Control System (includes power
8257	#8060 front axle shaft) Portal drive input gear, front/ drive pin/ cross pin		module & distribution block)
8259	Portal drive input gear, rear	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8065	Portal drive input gear, rear (machined) (left or right) (requires		BCS (self-tapping) (4)
	#8063 rear axle)		Body (1972 Chevrolet® Blazer)
8258	Portal drive output gear, front or rear	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		grille, side mirrors, side trim, door handles, windshield wipers, decals, window masks)
8252A	(2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9111X	Body, Chevrolet Blazer (1972), complete (blue) (includes grille,
0232A	anodized) (2)/ 3x12 BCS (2)	VIIIX	side mirrors, door handles, windshield wipers, front & rear
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		bumpers, decals)
	anodized) (2)/ 3x12 BCS (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	0406	drill bit (fits #9126 or #9127 front bumpers)
02E2V	(2)/ 3x12 BCS (2) Bortol housings, inner (rear), 6061 T6 aluminum (blue anadized)	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
	anodized) (2)/ 2.5x10 CS (2)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		System
00500	anodized) (2)/ 2.5x10 CS (2)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8251X	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
//	2.5x10 CS (12)		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		body)
	anodized) (2)/ 2.5x10 CS (12)	8090	LED light set, complete with power supply (contains headlights,
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
8251R	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	Marker light housing (4)/ marker light mount (4)/ marker light
023 IK	2.5x10 CS (12)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8255A	Stub axle, extended thread (portal drive) (2)		(self-tapping) (8)
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	GEO2	#9111 body) Power module, Pro Scale® Advanced Lighting Control System
	Bearings & Bushings	6592 6591	Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	0001	module & distribution block)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	0440	(self-tapping) (5) (fits #9111 body)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		2.0x0 200 (36ii-tapping) (4)
5117A 5180A	Ball bearings, black rubber sealed (6x12x4mm) (2) Ball bearings, black rubber sealed (6x13x5mm) (2)		
5100A 5103A	Ball bearings, black rubber sealed (0x13x3mm) (2)		
	J , (·····/, (–)		

. age 2			De Oal & Alexandria (Model 32030-4) Parts Elst
	Body (1979 Chevrolet® Blazer)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)
8130X	bumpers, decals) Body, Chevrolet Blazer (1979), complete (orange) (includes	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting
01307	grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8077	hardware Tailgate panel insert (clear, requires painting)/ adhesive foam
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,	8071	tape (2) (fits #8010 body) Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)
	side mirrors, door handles, windshield wipers, front & rear	0071	Body (Land Rover® Defender®)
8131	bumpers, decals) Decal sheet, Chevrolet Blazer (1979)	00444	
6593	Distribution block, Pro Scale® Advanced Lighting Control	8011A	Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)
	System	8011T	Body, Land Rover® Defender®, blue (painted)/ decals
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/	8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals
8134	retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body) Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing	8011R	Body, Land Rover® Defender®, red (painted)/ decals
0134	(2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)	8012 8016	Decals, Land Rover® Defender® ExoCage (complete with assembly hardware; #8015 roof basket
8039	LED light set (contains headlights, tail lights, side marker lights, distribution block (fits #8130 body, requires #8028 power supply)	8019	sold separately) (fits #8011 body) Fender brace, inner, front & rear
8038	LED light set, complete with power supply (contains headlights,	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
	tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8133X	Mirrors, side (folding) (fits #8130 body)	8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits	8027	housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) LED headlight/tail light kit (fits #8011 body, requires #8028 power
	#8130 body)	0021	supply)
6592	Power module, Pro Scale® Advanced Lighting Control System	8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8029	LED light bar kit (Rigid®)/power supply, TRX-4®
8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
	marker lights (assembled) (2)/ side marker retainers (2)/ mounting	8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
	tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body)	8021	Spare tire mount/ mounting bracket/ screw pins (2)
		8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011
0000	Body (1979 Chevrolet® K10 Truck)		body)
9226 9228	Body cage (fits #9212 body) Body mounts (front & rear)/ 3x10 BCS (7) (fits #9212 body)		Body (Mercedes-Benz® G 500®)
9212	Body, Chevrolet K10 Truck (1979) (clear, requires painting)/	8811	Body, Mercedes-Benz® G 500® 4x4² (clear, requires painting)/
	decals/ window masks (includes grille, side mirrors, door		decals/ window masks (includes rear body post, grille, side mirrors, door handles, & windshield wipers)
	handles, windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders)	8812	Decals, Mercedes-Benz® G 500® 4x4²
9212X	Body, Chevrolet K10 Truck (1979), complete, black (painted)	6593	Distribution block, Pro Scale® Advanced Lighting Control
	(includes grille, side mirrors, door handles, windshield wipers, &	00407	System
	clipless mounting) (requires #9288 inner fenders)	8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/
9212R	Body, Chevrolet K10 Truck (1979), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, & clipless		bumperette front (2)/ bumperette mount (2)/ turn signal housing
	mounting) (requires #9288 inner fenders)		(2)/ turn signal housing retainer (2)/ turn signal len
8134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/	8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 or #8825 body, requires #8028
	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 body)		power supply)
9262X	Roll bar (assembled with LED light bar)/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212	8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or #8825 body)
0000	body) Roll boy roll box mounts, left 8 visibil 2 5x42 BCS (celf townism)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
9262	Roll bar/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212 body)		left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side	0500	(self-tapping) (3)
	marker lights (assembled) (2)/ side marker retainers (2)/ mounting	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
	tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 body)	0001	module & distribution block)
	Body (1979 Ford® Bronco)	8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS
8010X	Body, Ford Bronco (1979), complete (black) (includes front and	8816X	(4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS
	rear bumpers, push bar, rear body mount, grille, side mirrors,	004414	(self-tapping) (2)
	door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)	8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)
8078R	Decal sheet, Bronco, red (fits #8010 body)		Body (Tactical Unit)
6593	Distribution block, Pro Scale® Advanced Lighting Control	8211X	Body, Tactical Unit, night camo (painted)/ decals
8075	System Door handles, left & right/ windshield wipers, left & right/	8019	Fender brace, inner, front & rear
0075	retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8070	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
	lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
8036	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power	8021	#8011 body) Spare tire mount/ mounting bracket/ screw pins (2)
0025	supply)		Body (TRX-4® Sport)
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010	8112	Body with camper, TRX-4® Sport (clear, trimmed, requires
	body)		painting)/ window masks/ decal sheet
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)	8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet
8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 body)	8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window
8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)		masks/ decal sheet
	(fits #8010 body)	8113	Decal sheet, TRX-4® Sport
6592	Power module, Pro Scale® Advanced Lighting Control System	6593	Distribution block, Pro Scale® Advanced Lighting Control System

Page 3	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Link	[™] Enabled 2.4GHz Radio (Model 92056-4) Parts List
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)	8220 9229 8081	Chassis rails, 448mm (steel) (left & right) Chassis rails, 480mm (steel) (left & right) Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080
8120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)		narrow inner fenders)
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8086 8084	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires	8072	(10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8088	#8028 power supply) LED light bar, front bumper (fits #8124 front bumper, requires	9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)
	#8028 power supply)	8218	Floor pans, left & right
8087 8085	LED light bar, roof lights (fits #8111 body, requires #8028 power supply) LED light set, complete with power supply (contains headlights,	8224X	Receiver box cover (for use only with #8224 receiver box & #2260 BEC)) foam pads/ seals/ silicone grease
8119	tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8219 8225	Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone grease)
	#8111 or #8112 body)	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power	8239	Servo mount, steering/ chassis crossmember
0331	module & distribution block)	8216 8226	Shock towers, front & rear (left & right) Tray, battery
8122	Shovel/ axe/ accessory mount/ mounting hardware	0220	Differential Components
8118	Spare tire mount/ mounting hardware	0001	Carrier, differential/ differential slider/ T-Lock fork
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8281 8280A	Differential cover, front or rear (black)
8121X	Traction boards, blue/ mounting hardware	8280X	Differential cover, front or rear (chrome-plated)
8121G	Traction boards, green/ mounting hardware	8280	Differential cover, front or rear (gray)
8121A	Traction boards, yellow/ mounting hardware	8280R	Differential cover, front or rear (red)
8121	Traction boards/ mounting hardware	8195	Differential, locking, front and rear (assembled) (includes T-Lock
	Body Accessories	8282	cables and servo) Gear set, differential (output gears (2), spider gears (4), spider gear
1926	Antenna caps, vinyl (2)/ antenna spool	0202	shaft (2))
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
1834	Body clips (12) (standard size)		(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
1834A	Body clips, black (12) (standard size)	0070	(1) 3x6 BCS with threadlock (1))
3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	8279 8279R	Ring gear, differential/ pinion gear, differential Ring gear, differential/ pinion gear, differential (machined)
8215	Body mounts & posts, front & rear (complete set)	8287	Ring gear, differential/ pinion gear, differential (overdrive,
9228	Body mounts (front & rear)/ 3x10 BCS (7) (fits #9212 body)		machined)
8115	Body posts, front & rear	8288	Ring gear, differential/ pinion gear, differential (underdrive,
4915	Body washers, foam adhesive (10)	9207	machined)
2514 8081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	8297	Spool/ differential housing plug/ e-clip
0001	narrow inner fenders)		Driveline Components
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	9250 8250	Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	8255A	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2)
9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)	8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
9950 9262X	Official Team Traxxas® racing decal set (flag logo/ 6-color) Roll bar (assembled with LED light bar)/ roll bar mounts, left &	8269A	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
	right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212 body)	8269G	anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
9262	Roll bar/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212 body)	8269R	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
	Bumpers & Skidplates		
8234	Bumper D-rings, gray (front or rear)/ 2x12 CS (4)	1550	Hardware Reskelete egrove (3x8mm can head machine) (6)/weehere (6)/
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/wrench
8067	Bumper mounts, front & rear	1834	Body clips (12) (standard size)
8067X 8237	Bumper mounts, front & rear/ bumper mount, rear (offset) Bumper mounts, front & rear/ screw pins (4)	1834A	Body clips, black (12) (standard size)
8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	3934	Body clips, heavy duty (12)
8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	3934A	Body clips, heavy duty (black) (12)
8235	Bumper, front/ winch	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
8236	Bumper, rear	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
8125	Bumper, rear (176mm wide)		hardware used on TRX-4)
8136 9237	Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
9237 8138	Extender, skid plate Push bar, bumper, chrome (assembled) (fits #8137 bumper)	EATOY	stainless steel hardware used on TRX-4® Long Arm Lift Kit)
8238	Skidplate/ lower gear cover	5476X 3647	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
	Chassis & Attachments	8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
8215	Body mounts & posts, front & rear (complete set)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8215 8224	Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
V I	BCS (5)/ 2.5x8 CS (2)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))	1747P 1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	8221	Screw pin, 3x10mm (6)
	(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)	3229 2523	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x10mm countersunk machine (hex drive) (6)

Page 4	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Linl	k™ Enabled 2.4GHz Radio (Model 92056-4) Parts List
3236 2618	Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)		Long Arm Lift Kit)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
3965	Screws, 2.5x8mm cap-head machine (6)		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	04.401/	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated
2564	Screws, 2x8mm cap-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
2577	Screws, 3x10mm button-head machine (hex drive) (6)	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	017510	steel) (assembled with hollow balls) (for use with #8140R TRX-4®
2578	Screws, 3x12mm button-head machine (hex drive) (6)		Long Arm Lift Kit)
2579	Screws, 3x15mm button-head machine (hex drive) (6)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with
2591	Screws, 3x23mm button-head machine (hex drive) (6)		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
2581	Screws, 3x25mm button-head machine (hex drive) (6)	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated
2616	Screws, 3x27mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
2582	Screws, 3x30mm button-head machine (hex drive) (6)		Long Arm Lift Kit)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated
3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with
3933	Screws, 4x16mm button-head machine (hex drive) (6)	0142	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
3933		8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated
	LED Light Accessories		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
8031	3-in-1 wire harness, LED light kit		Long Arm Lift Kit)
8089	4-in-2 wire harness, LED light kit	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated
6589	Distribution block, LED light set		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire		Long Arm Lift Kit)
0000	harness	8172	Tires and wheels, assembled (Method 105 2.2" black chrome
8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)		beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)
9262X	Roll bar (assembled with LED light bar)/ roll bar mounts, left &	8184	Tires and wheels, assembled, glued (2.2" classic chrome wheels,
3202X	right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212	0104	Canyon Trail 5.3x2.2" tires, foam inserts) (2) (requires #8255A
	body)		extended thread stub axle)
	Long Arm Lift Kit	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
			Canyon Trail 5.3x2.2" tires) (2)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
9462D	with #8140X TRX-4® Long Arm Lift Kit)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)		rings sold separately)
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
0.02	TRX-4® Long Arm Lift Kit)		rings sold separately)
	11XX-4@ LONG AND LIN NO	0400	Wheele TDV 4® Sport 2.2 (2)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	8180	Wheels, TRX-4® Sport 2.2 (2)
8147 9283		8180	Wheels, TRX-4® Sport 2.2 (2) Motors & Electronics
	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	1926	
9283 8148	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)	1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9283	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long	1926	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
9283 8148	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))	1926 1726 2262	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
9283 8148 8150	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)
9283 8148 8150	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete	1926 1726 2262 2064A 2272	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo)
9283 8148 8150	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder	1926 1726 2262 2064A 2272 2064R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)
9283 8148 8150 8140 8140X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)	1926 1726 2262 2064A 2272 2064R 2072X	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
9283 8148 8150	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder	1926 1726 2262 2064A 2272 2064R 2072X 2252	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
9283 8148 8150 8140 8140X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos)
9283 8148 8150 8140 8140X 8140R	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized)
9283 8148 8150 8140 8140X 8140R 8149 8141	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos)
9283 8148 8150 8140 8140X 8140R 8149	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
9283 8148 8150 8140 8140X 8140R 8149 8141 8161	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
9283 8148 8150 8140 8140X 8140R 8149 8141	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
9283 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 5061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8161	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
9283 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
9283 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2) antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2058R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8160 8160X 8160R 8160 8153	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160X 8160R 8153 8154	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140T TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8160 8160X 8160R 8160 8153	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
9283 8148 8150 8140 8140X 8140R 8140R 8141 8161 8160X 8160R 8160 8153 8154 8155	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160X 8160R 8153 8154	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2058R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160R 8160 8153 8154 8155	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X	Antenna caps, vinyl (2) antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (plue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8140R 8141 8161 8160X 8160R 8160 8153 8154 8155	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, blue stripe)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290A 8290A 8290B 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160R 8160 8153 8154 8155	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2250	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2058R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
9283 8148 8150 8140 8140X 8140R 8140R 8149 8141 8160X 8160R 8153 8154 8155 8156 8157	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290A 8290A 8290B 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160R 8160 8153 8154 8155 8156 8157 8146X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2250	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2265R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal
9283 8148 8150 8140 8140X 8140R 8140R 8149 8141 8160X 8160R 8153 8154 8155 8156 8157	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.67 rate) (included with TRX-6B Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.67 rate) (included with TRX-6B Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.67 rate) blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2250	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160R 8160 8153 8154 8155 8156 8157 8146X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x60mm (1)/ draglink, 5x117mm (1)/ panhard link, 5x63mm (blue powde	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2255	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof
9283 8148 8150 8140 8140X 8140R 8140R 8141 8161 8160X 8160R 8153 8154 8155 8156 8157 8146X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2255	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 205R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof
9283 8148 8150 8140 8140X 8140R 8149 8141 8160X 8160R 8160 8153 8154 8155 8156 8157 8146X	Cable, T-lock, rear (185mm) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x60mm (1)/ draglink, 5x117mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063X 5669 2075R 2250 2255	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 261-76 aluminum (blue-anodized) Motor mount plate, 6061-76 aluminum (charcoal gray-anodized) Motor mount plate, 6061-76 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof
9283 8148 8150 8140 8140X 8140R 8140R 8141 8161 8160X 8160R 8153 8154 8155 8156 8157 8146X	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2255	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 205R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof

Page 5	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Link	τ™ Enabled 2.4GHz Radio (Model 92056-4) Parts List
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)	2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2261	Y-harness, BEC	6525	Communication link, telemetry expander
P	ro Scale® Advanced Lighting Control System	6512	Cover plate, Traxxas Link™ Wireless Module
6593	Distribution block, Pro Scale® Advanced Lighting Control	2978 2064A	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
	System	2004A 2272	Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo)
8032	Installation kit, Pro Scale® Advanced Lighting Control System,	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
	TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware)	2072X	Gear set, metal (for 2070, 2075 servos)
6592	Power module, Pro Scale® Advanced Lighting Control System	2252	Gear set, metal (for 2250, 2255 servos)
6591	Pro Scale® Advanced Lighting Control System (includes power	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
	module & distribution block)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
	Pro Scale® Winch & Accessories	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
8867	Bumper, front, winch, medium (includes bumper mount, D- Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979	6561	Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®)
	Blazer with 8855 winch) (217mm wide)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
8859	Fairlead, winch	0000	pad
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
	bumpers #8865, 8866, 8867, 8869, or 9224)	6552	Seal kit, expander box (includes o-ring, seals, and silicone
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front		grease)
00700	bumpers #8865, 8866, 8867, 8869, or 9224)	6526	Sensor, auto-detectable, temperature
8870G	Fairlead, winch, aluminum (green-anodized) (use with front	6527	Sensor, auto-detectable, voltage
8870T	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (orange-anodized) (use with front	6521 2254	Sensor, temperature and voltage (long)
00701	bumpers #8865, 8866, 8867, 8869, or 9224)		Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front	2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
- •	bumpers #8865, 8866, 8867, 8869, or 9224)	770 I	2250, 2255 servos)
8862	Gearmotor, winch	2271	Servo case/ gaskets (for 2270 waterproof servo)
8863	Hook, winch (steel)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8858	Housings (front & rear), winch/ decal	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8864X	Line, winch (blue)		servo)
8864	Line, winch (gray)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R 8860	Line, winch (red) Spool shaft assembly, winch	207ED	Servo)
8861	Spool, winch	2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8855	Winch kit with wireless controller, TRX-4	2230	waterproof (#2262 external BEC and #8247X metal servo horn
8856	Winch, TRX-4® (requires #8857 wireless remote)		recommended for optimal performance)
8857	Wireless remote, winch, TRX-4®	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	Radio System, Batteries & Chargers		bearing), waterproof (#2262 external BEC and #8247X metal
2823X	1400mAh 11.1v 3-Cell 25C LiPo iD® Battery	00757	servo horn recommended for optimal performance)
2820X	2200mAh 7.4v 2-Cell 25C LiPo iD® Battery	2075X 2270	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
2849X	4000mAh 11.1v 3-Cell 25C LiPo iD® Battery	2065A	Servo, sub-micro, waterproof
2872X	5000mAh 11.1v 3-Cell 25C LiPo iD® Battery	2065R	Servo, sub-micro, waterproof, metal gear
2842X	5000mAh 7.4v 2-Cell 25C LiPo iD® Battery	6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
2843X	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2869X	7600mAh 7.4v 2-Cell 25C LiPo iD® Battery		#6551X GPS module)
2976	AC to DC converter, 40W	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	6509R	#6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	0505K	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
2943	Battery charge indicators (green (4), blue (4), gray (4))	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,		Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro
-	6530 transmitters)		receiver)
8222	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
2914	Battery, Power Cell AA Alkaline (4)	CE44	channel (transmitter only)
2923X	Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V)	6511	Traxxas Link™ Wireless Module
2940X	Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V)	2261	Y-harness, BEC
2950X 2960X	Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V)		Ready-To-Race Model
2983	Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	92056-4	TRX-4® High Trail Edition™ with 1979 Chevrolet® Cheyenne K10 Truck Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System
2992	iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),		Scale Details
2994	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),	8120X	Expedition rack, complete (includes traction boards, shovel, axe jack, fire extinguisher, fuel cans, & mounting hardware) (fits
2004	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))	0000-	#8111 or #8111R body)
2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery	8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
	(2))	8022R 8022	Fuel canisters (blue) (2)/ 3x8 FCS (1)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	8022X	Fuel canisters (red) (2)/ 3x8 FCS (1) Fuel canisters (white) (2)/ 3x8 FCS (1)
	(includes receiver box cover and seals)	8022A	Fuel canisters (write) (2)/ 3x8 FCS (1)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8022A	Jack (black) (1)/ 2x8 BCS (1)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	8023	Jack (red) (1)/ 2x8 BCS (1)
00=-	Identification	8122	Shovel/ axe/ accessory mount/ mounting hardware
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	8121X	Traction boards, blue/ mounting hardware
2971	Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	8121G	Traction boards, green/ mounting hardware
		8121A	Traction boards, yellow/ mounting hardware
	Identification	8121	Traction boards/ mounting hardware

Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification

	Shock Oil		Steering Components
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)		and right
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	8232G 8232R	Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right
5036 5037	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	2072X	Gear set, metal (for 2070, 2075 servos)
5029	Shock oil bottle (60cc) (for mixing shock oil)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
	80 wt premium shock oils with spinning carousel rack)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
5038	Spinning carousel rack	0075	adjustment shims; 3.5mm (2), 1.17mm (2)
	Shocks (GTS)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8266	Body, GTS shock (aluminum, silver-anodized) (1)	8276	Rod ends (10)
8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	8277	Rod ends, angled 10-degrees (8)
8266A	Body, GTS shock, aluminum (blue-anodized) (1)	2742	Rod ends, long (6)/ hollow ball connectors (6)
8266G 8266R	Body, GTS shock, aluminum (green-anodized) (1)	8278	Rod ends, offset (4)
8264	Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/	8247X	Servo horn, steering, metal/ 3x14 BCS (1)
0204	bottom cap (2)/ upper retainer (2)/ lower retainer (2))	2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	2250	waterproof
5475	Multi-tool (plastic)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
8261	Piston, damper (red) (4)/ e-clips (8)		bearing), waterproof
8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8263	and rod ends) Shock shaft, 3x47mm (GTS) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8246	captured (4) Stooring link, 5v60mm (1)/ draglink, 5v117mm (1) (stool)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)
	TiN shafts (assembled with spring retainers) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
92606	retainers) (2) Shooks CTS aluminum (green anadired) (cooperhied with		Suspension Linkage
8260G	Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring	0000	(includes rear upper & lower suspension links, front & rear inner
	retainers) (2)		fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8260	Shocks, GTS, silver aluminum (assembled with spring retainers)	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
	(2)		(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
	Slipper Clutch Components	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
8292	Input shaft/ output shaft (transmission)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
8286	Output shafts (transfer case), front & rear		adjustment shims; 3.5mm (2), 1.17mm (2)
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
8249	(1)/ spring washers (4), metal washer (1)) Slipper eliminator plate	0076	(4)) Pad anda (10)
0243		8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)
	Springs	2742	Rod ends, long (6)/ hollow ball connectors (6)
8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	8278	Rod ends, offset (4)
8043 8044	Springs, shock (natural finish) (GTS) (0.39 rate, white stripe) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)	00.40	captured (4)
8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	8244 8248	Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
	Spur Gears & Pinion Gears	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Team Traxxas Items
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	0544	
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	2514 6160X	Decal sheet, racing sponsors DVD, Maxx® Power! Full Throttle Action (sleeve)
	(fits 3mm shaft)/ set screw	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	9909	Traxxas® racing banner, red & black (3x7 feet)
3944X	(fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)		Tires & Wheels
JJ74A	(fits 3mm shaft)/ set screw	8160T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8169T 8168T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8169X	Beadlock rings, black (2.2.) (aluminum) (4)/ 2x10 CS (48)
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
2047	(fits 3mm shaft)/ set screw	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
- '	(fits 3mm shaft)/ set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	8169 8168	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
3949X	(Eite Duran electivi est esanci.		Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
	(fits 3mm shaft)/ set screw	8164	oupo, milos (oilloille) (+) ucoul slicet (lequiles #0200A
3949X 3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	8164	extended thread stub axle)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8164X	extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet
	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	8164X	Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet (requires #8255A extended stub axle)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)		Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet (requires #8255A extended stub axle) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3950X 3951X 3952X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8164X 8176	Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet (requires #8255A extended stub axle) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
3950X 3951X 3952X 6745	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8164X 8176 1747R	Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet (requires #8255A extended stub axle) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3950X 3951X 3952X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8164X 8176	Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet (requires #8255A extended stub axle) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)

Page 7	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Lin	k™ Enabled 2.4GHz Radio (Model 92056-4) Parts List
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
8174	Tires and wheels, assembled (Method 105 1.9" black chrome		(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
	beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1	9204	(1) 3x6 BCS with threadlock (1))
8172	left, 1 right) Tires and wheels, assembled (Method 105 2.2" black chrome	8294 8286	Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear
· · · -	beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1	8290	Plate, motor/ upper spur gear cover
	left, 1 right) (for use with TRX-4 Long Arm Lift Kit)	8249	Slipper eliminator plate
8166X	Tires and wheels, assembled, glued (1.9" chrome wheels,	8296	Transmission gears, single speed, metal
	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)	8196	Two speed conversion kit
8166	Tires and wheels, assembled, glued (1.9" chrome wheels,		Traxxas Tools
	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet	3433X	Body reamer (aluminum handle)
8177	(requires #8255A extended thread stub axle) Tires and wheels, assembled, glued (1.9" chrome wheels,	3433 3436	Body reamer (plastic handle) Cap, body reamer
0177	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet	3432	Scissors, curved tip
	(requires #8255A extended thread stub axle)	3431	Scissors, straight tip
8183X	Tires and wheels, assembled, glued (1.9" classic chrome wheels,	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A extended thread stub axle)		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8184	Tires and wheels, assembled, glued (2.2" classic chrome wheels,		and 8.0mm), 1/4" drive
	Canyon Trail 5.3x2.2" tires, foam inserts) (2) (requires #8255A	8721	Speed bit handle, medium (one piece)
8182	extended thread stub axle) Tires and wheels, assembled, glued (Method 105 1.9" black	8720	Speed bit handle, premium, large (rubber overmold)
0.02	chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires,	8722 8710	Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
	foam inserts) (1 left, 1 right)	0710	premium handle (medium), travel pouch, hex drivers (straight:
8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
	wheels, Canyon Trail 4.6x1.9" tires) (2)	8711	7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end,
8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels,	****	includes premium handle (medium), travel pouch, hex drivers
8179	Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels,		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
0179	Canyon Trail 4.6x1.9" tires) (2)	8719	2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,	07.13	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm Lift		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8270	Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TRX-4	8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	Long-Arm Lift Kit)		3.0mm), 1/4" drive
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)	8715X	2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	07137	2.5mm, 3.0mm), 1/4" drive
	anodized) (4)/ screw pin (4)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
0405	screw pin (4)		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		driver handle
	#8255A extended thread stub axle)		TRX-4® Traxx®
8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)	8889	Bearing retainers, inner (2), outer (2)
8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock	8890	Drive wheel (1)
	rings sold separately)	8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock	8888	each, front (left & right), rear (left & right)) Spring (4)
8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	8887	Stub axle (1)
•	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8886	Stub axle nut (4)
8268	Wheels, Tactical 1.9 (2)	8891	Tension wheels (6)/ road wheels (4)
8271	Wheels, TRX-4® 1.9 (2)	8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8271X 8178	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Sport 1.9 (2)	8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift		GTR shock, & #8878 or #8895 rubber track)
	Kit)	8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
	Transmission Components	8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061
8283	Cable, T-lock (front)		GTR shock, & #8879 or #8896 rubber track)
8284 9283	Cable, T-lock (rear) Cable, T-lock, rear (185mm)	8880 8895	Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
8195	Differential, locking, front and rear (assembled) (includes T-Lock	0033	(1)
	cables and servo)	8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage		(1)
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))		
8291	Gearbox housing (includes main housing, front housing, & cover)		If you have questions or need technical assistance, call Traxxas at:
8285	Gears, transfer case (3)		
5041	Grease, premium high performance (20cc)		1-888-TRAXXAS
8292	Input shaft/ output shaft (transmission)		(1-888-872-9927) (U.S. residents only)
8290X 8290A	Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		For orders, calls outside the U.S., and other information, call 972-549-3000,
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)		TRAXXAS.COM