



Factory Five '33 Hot Rod Coupe (Model 93044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

9333	Body, Factory Five '33 Hot Rod Coupe (clear, requires painting)/ foam pads (front & rear)/ decal sheet (includes front grille, side mirrors, headlights, tail lights, mounting hardware)
9333X	Body, Factory Five '33 Hot Rod Coupe, complete (blue) (painted, decals applied) (includes front grille, side mirrors, headlights, tail lights, foam pads)
9333R	Body, Factory Five '33 Hot Rod Coupe, complete (red) (painted, decals applied) (includes front grille, side mirrors, headlights, tail lights, foam pads)
9336	Grille, Factory Five '33 Hot Rod Coupe/ grille mount/ 2.6x8 BCS (5)
9334	Headlight housings (left & right)/ headlight lens (2)/ 2.6x8 BCS (2)/ 1.6x7 BCS (self-tapping) (2) (fits #9333 or 9335 body)
9339	Side mirrors (left & right)/ mounts (2)/ tail light lens (2)/ retainers (2)/ 1.6x7 BCS (self-tapping) (6) (fits #9333 or 9335 body)

Brake Components

8367	Brake calipers (red), front (2)/ rear (2)
8356	Wheel hubs, hex (disc brake rotors) (4)

Center Driveline

8381	Housing, differential (front)
8380	Housing, differential (rear)

Chassis & Attachments

9324	Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post screw/ foam spacer
9325	Body post, rear/ body washers, foam (2)/ pivot (2)
8924	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 2.5x10 CS (2)/ 3x15 CCS (3)
9322	Chassis (247mm)
8321	Chassis brace (front)
8323	Gear cover (rear chassis brace)/ wire retainer
9338	Shock towers, front & rear
9323	Skidplate, front/ servo mounts, steering (2)

Differential Components

5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
8381	Housing, differential (front)
8380	Housing, differential (rear)
8379	Housing, spool / spool shaft/ bushing
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)
8353	Drive cups, inner (2)/ screw pins (2)
9356	Driveshaft, center, steel (278mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
8350	Driveshaft, front (2)
8351	Driveshaft, rear (2)
8350X	Driveshafts, steel constant-velocity (assembled), front (2)
8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
8382	O-rings (12)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8356	Wheel hubs, hex (disc brake rotors) (4)

Front Suspension & Steering

8330	Bulkhead, front
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)

8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8343	Steering bellcranks/ hardware
8337	Steering block (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
9330	Suspension arms, front (2)
8340	Suspension pin set, complete (front & rear)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Hardware

1834A	Body clips, black (12) (standard size)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
5347	Rod ends, Revo® (large) with hollow balls (12)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
8356	Wheel hubs, hex (disc brake rotors) (4)

LED Lights

9385	LED light harness/ power harness/ zip ties (9)/ mounts (2) (fits #9333 or 9335 body)
------	--

Motors & Electronics

2260	BEC assembly (complete)
2072A	Gear set (for 2070, 2075 servos)
3785	Motor, Titan® 12T (12-Turn, 550 size)
8390	Plate, motor
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W

Page 2 Factory Five '33 Hot Rod Coupe: TQ 2.4GHz Radio (Model 93044-4) Parts List

2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2260	BEC assembly (complete)
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

93044-4	Factory Five '33 Hot Rod Coupe: 1/10 Scale AWD Electric Supercar with TQ 2.4GHz radio system
---------	--

Rear Suspension

8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)

8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
5347	Rod ends, Rev o® (large) with hollow balls (12)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8340	Suspension pin set, complete (front & rear)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

Shocks (GTR)

7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7028	Hollow balls (20)
7028X	Hollow balls, steel (machined)
7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)
6961	Shaft, GTR shock, steel (2)
6961T	Shaft, GTR shock, TiN-coated (2)
9360	Shocks, GTR composite, front or rear (assembled, without springs) (2)

Springs

9361	Springs, shock (red) (1.029 rate) (2)
------	---------------------------------------

Spur Gears & Pinion Gears

2728	Ball bearings (5x8x2.5mm) (2)
8323	Gear cover (rear chassis brace)/ wire retainer
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2424	Gear, 24-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth
8368	Spur gear, 72-tooth (48 pitch)

Steering Components

8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)

Suspension Linkage

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347	Rod ends, Rev o® (large) with hollow balls (12)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Page 3 Factory Five '33 Hot Rod Coupe: TQ 2.4GHz Radio (Model 93044-4) Parts List

8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

9372 Tires and wheels, assembled, glued (black with chrome wheels, 1.9" Response tires) (front) (2)
9373 Tires and wheels, assembled, glued (black with chrome wheels, 1.9" Response tires) (extra wide, rear) (2)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721 Speed bit handle, medium (one piece)
8720 Speed bit handle, premium, large (rubber overmold)
8722 Speed bit handle, premium, medium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342 Toe links, steel (34mm) (2)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail support@Traxxas.com

TRAXXAS.COM