



## Bandit Parts List

### Bearings & Bushings

4607	Ball bearings (5x11x4mm) (8)
4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)
2728	Ball bearings (5x8x2.5mm) (2)
4606	Ball bearings (5x8x2.5mm) (8) (for wheels only)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3775	Bushings, self-lubricating (5x8x2.5mm) (12)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

### Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
1815	Body washers (8)
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
2417	Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grill decal sheet
2449	Body, Bandit, Hawaiian graphics (painted, decals applied)
2434	Body, Bandit, Mitchell DeJong (painted, decals applied)
2417X	Body, Bandit, ProGraphix (front & rear) (replacement for painted body. Graphics are painted- requires paint and final color application)/window, grill, lights decal sheet
2420	Body, Bandit, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ decal sheet
2448	Body, Bandit, Rock n' Roll (painted, decals applied)
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (black)
3677X	Wheelie bar mount (1)/ hardware (blue)
3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)
3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
2712	Wing
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2414	Wing wire

### Chassis & Attachments

3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
2735P	Bumper (front) (pink)
3722	Lower chassis (black)
3722A	Lower chassis (grey)
3725	Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
3625	Mounting plate, speed control (XL-5, XL-10) (fits into Bandit, Rustler, Stampede and 4-Tec)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)
3723	Upper chassis (black)
3723A	Upper chassis (grey)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (black)
3677X	Wheelie bar mount (1)/ hardware (blue)

3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)
3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

### Differential Components

2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
1647	Silicone grease

### Driveline Components

4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
2751	Half-shaft pro-pack (internal-splined (6)/external-splined (6)) (plastic shafts only)
1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
3652	Stub axle carriers (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
2753X	Stub axles, rear (2)

### Front Suspension & Steering

2728	Ball bearings (5x8x2.5mm) (2)
4606	Ball bearings (5x8x2.5mm) (8) (for wheels only)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2432	Caster blocks (l&r) (30-degree)
2437	Front axles (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3636	Steering blocks (l&r)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2531X	Suspension arms (front) (2)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)

## Page 2 Bandit: TQ 2.4GHz Radio Parts List

- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)**  
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw  
**2532 Tie bar, fiberglass (requires suspension pins, part# 2640)**  
**2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)**  
**2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)**

### Hardware

- 3642 Shoulder screws, Ultra shocks (3x12) (6)**  
**1552 Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench**  
4363 Ball screws (3x12mm) (lower shock attachment screws) (6)  
1834 Body clips (12) (standard size)  
3934 Body clips, heavy duty (12)  
3980 Glow plug wrench (universal wrench)  
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)  
1747 Nuts, 4mm nylon locking (10)  
**1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**  
**1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**  
**1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**  
**1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**  
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
**5525R Rod ends, heavy duty (Jato/Slayer) (8)**  
2742 Rod ends, long (6)/ hollow ball connectors (6)  
**5347 Rod ends, Revo (large) with hollow balls (12)**  
2742X Rod ends, short (6)/ hollow balls (6)  
3739 Screw pin set (Rustler/ Bandit/ Stampede)  
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)  
3965 Screws, 2.5x8mm cap-head machine (6)  
2587 Screws, 3x10mm cap-head machine (6) (no washer)  
2675 Screws, 3x10mm roundhead self-tapping (6)  
2648 Screws, 3x12mm countersunk self-tapping (6)  
2676 Screws, 3x12mm roundhead self-tapping (6)  
3186 Screws, 3x12mm washerhead machine (6)  
3286 Screws, 3x12mm washerhead self-tapping (6)  
2649 Screws, 3x15mm countersunk self-tapping (6)  
2563 Screws, 3x15mm roundhead machine (6)  
3187 Screws, 3x15mm washerhead machine (6)  
3288 Screws, 3x15mm washerhead self-tapping (6)  
2566 Screws, 3x20mm roundhead machine (6)  
2567 Screws, 3x23mm roundhead machine (6)  
2554 Screws, 3x6mm cap-head machine (hex drive) (6)  
2558 Screws, 3x6mm roundhead machine (6)  
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)  
3290 Screws, 3x8mm washerhead self-tapping (6)  
2548 Screws, 4x12mm countersunk machine (100-degree) (6)  
3167 Screws, 4x15mm countersunk machine (6)  
2743 Set (grub) screws, 3mm hardened (12)  
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)  
2754 Stub axle pins (4)  
3740 Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)  
2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)  
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw  
**2746 Washers, 3x6mm metal (12)**  
2615 Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)

### Motors & Electronics

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  
**1552 Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench**  
**2260 BEC assembly (complete)**  
3790 Gear adapter, fixed  
**2072A Gear set (for 2070, 2075 servos)**  
**2252 Gear set, metal (for 2250, 2255 servos)**  
**1275 Motor, Stinger (20-turn, 540 size)**  
3785 Motor, Titan 12T (12-Turn, 550 size)  
**3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**  
**3725 Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)**  
3625 Mounting plate, speed control (XL-5, XL-10) (fits into Bandit, Rustler, Stampede and 4-Tec)  
**2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**  
**2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**  
**2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**  
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)

- 2053 Servo gears (for 2055, 2056 servos)  
**2075 Servo, digital high-torque (ball bearing), waterproof**  
**2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**  
**2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**  
2056 Servo, high-torque, waterproof (blue case)  
**3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))**  
**3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**  
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

### Radio System, Batteries & Chargers

- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery**  
**2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery**  
**2976 AC to DC converter, 40W**  
**2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)**  
**2943 Battery charge indicators (green (4), blue (4), grey (4))**  
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)  
**2914 Battery, Power Cell AA Alkaline (4)**  
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)  
**2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**  
**2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**  
**2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**  
**2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))**  
**2992 Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**  
**2260 BEC assembly (complete)**  
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)  
**2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**  
**2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification**  
**2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification**  
**2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**  
**2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)**  
**2072A Gear set (for 2070, 2075 servos)**  
**2252 Gear set, metal (for 2250, 2255 servos)**  
**2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas iD batteries)**  
**2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas iD batteries)**  
**6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**  
6519 Receiver, micro, TQ 2.4GHz (3-channel)  
**6518 Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**  
**6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)**  
**6521 Sensor, temperature and voltage (long)**  
**2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**  
**2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**  
**2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**  
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)  
2053 Servo gears (for 2055, 2056 servos)  
**2075 Servo, digital high-torque (ball bearing), waterproof**  
**2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**  
**2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**  
2056 Servo, high-torque, waterproof (blue case)  
**6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**  
**6540 Telemetry trigger magnet, 5X2mm (1)**  
**6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)**  
**6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**  
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)  
**6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)**  
**6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)**

### Page 3 Bandit: TQ 2.4GHz Radio Parts List

- 6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)  
6537 Wire retainers, gear cover/ 3x4mm BCS (2)  
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

#### Ready-To-Race Model

24054-1 Bandit: 1/10 Scale Off-Road Buggy with TQ 2.4GHz radio system

#### Rear Suspension

- 3638 Shock tower (rear)  
3652 Stub axle carriers (2)  
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)  
3652A Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)  
3652G Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)  
3652P Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)  
3652P Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)  
3652X Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)  
2753X Stub axles, rear (2)  
2750R Suspension arms, long (rear)  
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)

#### Shocks (Aluminum)

- 1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
2742X Rod ends, short (6)/ hollow balls (6)  
2760 Shock caps, aluminum (2)  
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)  
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)  
1664 Shock shafts, steel, chrome finish (long) (2)  
2765 Shock shafts, steel, chrome finish (X-long) (2)  
4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)  
4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)  
1666 Silicone shock oil (30 wt)

#### Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)  
2666 Big Bore shock cylinder (XX-long) (1)  
5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)  
2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)  
2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)  
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)  
2362 Rebuild kit, Ultra shocks (for 2 shocks)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
2742X Rod ends, short (6)/ hollow balls (6)  
2667 Shock caps, aluminum (Big Bore Shocks) (2)  
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)  
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)  
1664 Shock shafts, steel, chrome finish (long) (2)  
2765 Shock shafts, steel, chrome finish (X-long) (2)  
1765 Silicone diaphragms (4)  
1666 Silicone shock oil (30 wt)  
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)  
5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)  
5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

#### Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)  
3765A Body, Ultra Shock(s) (long) (grey) (2)  
3766A Body, Ultra Shock(s) (XXL) (grey) (2)  
2362 Rebuild kit, Ultra shocks (for 2 shocks)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
2742X Rod ends, short (6)/ hollow balls (6)

- 3767 Shock caps (2)/ shock bottoms (2)  
8361 Shock caps (black) (4) (assembled with hollow balls)  
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)  
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)

- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)  
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)  
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)  
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)  
1664 Shock shafts, steel, chrome finish (long) (2)  
2765 Shock shafts, steel, chrome finish (X-long) (2)  
1765 Silicone diaphragms (4)  
1666 Silicone shock oil (30 wt)  
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)  
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))

- 2458 Springs, front (black) (2)  
2458P Springs, front (pink) (2)  
2458A Springs, front (white) (2)  
2457 Springs, rear (black) (2)  
2457P Springs, rear (pink) (2)  
2457A Springs, rear (white) (2)  
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)  
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)  
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

#### Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin  
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))  
2554 Screws, 3x6mm cap-head machine (hex drive) (6)  
5556 Slipper pressure plate & hub (aluminum alloy)

#### Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed  
2416 Gear, 16-T pinion (48-pitch) / set screw  
1918 Gear, 18-T pinion (48-pitch) / set screw  
2419 Gear, 19-T pinion (48-pitch) / set screw  
2421 Gear, 21-T pinion (48-pitch) / set screw  
2423 Gear, 23-T pinion (48-pitch) / set screw  
2426 Gear, 26-T pinion (48-pitch)/set screw  
2431 Gear, 31-T pinion (48-pitch) / set screw  
4725 Gear, pinion (25-tooth) (48-pitch) / set screw  
4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)  
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)  
4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)  
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

#### Steering Components

- 2728 Ball bearings (5x8x2.5mm) (2)  
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)  
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
2742 Rod ends, long (6)/ hollow ball connectors (6)  
5347 Rod ends, Revo (large) with hollow balls (12)  
2742X Rod ends, short (6)/ hollow balls (6)  
3744 Servo saver w/adapters  
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)  
3743 Steering bellcranks (l&r)/ draglink  
3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering  
2537 Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw  
1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)  
2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

### Suspension Linkage

<b>3642</b>	<b>Attachment screws, shock (3x12mm shoulder screws) (6)</b>
2441A	Camber link set for Bandit (grey) (plastic/ non-adjustable)
<b>2441</b>	<b>Camber link set for Bandit (plastic/ non-adjustable)</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
<b>5525R</b>	<b>Rod ends, heavy duty (Jato/Slayer) (8)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
<b>5347</b>	<b>Rod ends, Revo (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler/ Bandit/ Stampede)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
<b>2637</b>	<b>Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)</b>
<b>2640</b>	<b>Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)</b>
<b>3640</b>	<b>Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)</b>
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
<b>1935</b>	<b>Turnbuckles, 36mm (2)</b>
<b>2443</b>	<b>Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>2444</b>	<b>Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>2445</b>	<b>Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)</b>

### Team Traxxas Items

2514	Decal sheet, racing sponsors
<b>6160X</b>	<b>DVD, Maxx® Power! Full Throttle Action (sleeve)</b>
<b>9950</b>	<b>Official Team Traxxas racing decal set (flag logo/ 6-color)</b>
<b>9909</b>	<b>Traxxas racing banner, red &amp; black (3x7 feet)</b>

### Tires & Wheels

3775	Bushings, self-lubricating (5x8x2.5mm) (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
<b>1747R</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
<b>1747G</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
<b>2471A</b>	<b>Tires &amp; wheels, assembled (Tracer 2.2" black chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)</b>
<b>2478A</b>	<b>Tires &amp; wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit rear)</b>
2470R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias 2.2" tires) (2) (Bandit rear, soft compound with foam inserts)
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, soft compound w/ foam inserts)
<b>2479R</b>	<b>Tires &amp; wheels, assembled (Tracer 2.2" chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit front)</b>
<b>2478R</b>	<b>Tires &amp; wheels, assembled (Tracer 2.2" chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit rear)</b>
<b>4740</b>	<b>Tires, 2.1" Pro-Trax ribbed (front) (2)</b>
<b>1771</b>	<b>Tires, 2.1" spiked (front) (2)</b>
<b>1770</b>	<b>Tires, 2.15 spiked (rear) (2)</b>
2470	Tires, Alias 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2471	Tires, Alias ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)
<b>2478</b>	<b>Tires, Anaconda 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)</b>
<b>2479</b>	<b>Tires, Anaconda 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)</b>
<b>3471</b>	<b>Tires, street slicks (front) (2)</b>
<b>3470</b>	<b>Tires, street slicks (rear) (2)</b>
<b>2475</b>	<b>Wheels, front (2)</b>
<b>2474</b>	<b>Wheels, rear (2)</b>
<b>2473A</b>	<b>Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)</b>
<b>2472A</b>	<b>Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)</b>
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)

### Transmission Components

<b>1552</b>	<b>Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench</b>
<b>4607</b>	<b>Ball bearings (5x11x4mm) (8)</b>
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
<b>2519</b>	<b>Differential gear (60-tooth) (for optional ball differential only)</b>
3792	Dust cover/rubber plug (w/ screws) (Stampede/Rustler/Bandit)

<b>5478</b>	<b>Flat wrench, 8mm (blue-anodized aluminum)</b>
3790	Gear adapter, fixed
<b>3691</b>	<b>Gearbox halves (l&amp;r) (black) w/ idler gear shaft</b>
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)

### Traxxas Tools

<b>3432</b>	<b>Scissors, curved tip</b>
<b>3431</b>	<b>Scissors, straight tip</b>
<b>3415</b>	<b>Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)</b>

### Turnbuckles & Threaded Rods

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
<b>5525R</b>	<b>Rod ends, heavy duty (Jato/Slayer) (8)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
<b>5347</b>	<b>Rod ends, Revo (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
2537	Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
<b>1935</b>	<b>Turnbuckles, 36mm (2)</b>
<b>2443</b>	<b>Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>2444</b>	<b>Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>2445</b>	<b>Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)</b>